Author Index

Aaron JE. *See* Shahtaheri SM.
Abdel-Fattah S. *See* Carroll SGM.
Abedejos P. *See* Belfort MA.
Aberdeen Endometrial Ablation Trials Group. A randomised trial of endometrial ablation versus hysterectomy for the treatment of dysfunctional uterine bleeding: outcome at four years 360
Abrams P. *See* Jackson S.
Abrams P. *See* James M.
Acharya U. *See* Nicoll AE.
Acs N, Székács B, Nádasy GL, Várbíró S, Kakucs R, Monos E. The effect of ovariectomy and oestrogen replacement on small artery biomechanics in the rat 148
Adeniji AA, Fairlie FM, Jones TH, Wilkinson P. Pregnancy and blue rubber bleb naevus syndrome 1316
Afnan M. *See* Lashen H.
Ahmed JIH. *See* Carlin EM.
Åkerlund M, Bossmar T, Brouard R, Kostrzewska A, Laudanski T, Lemancewicz A, Serradeil-Le Gal C, Steinwall M. Receptor binding of oxytocin and vasopressin antagonists and inhibitory effects on isolated myometrium from preterm and term pregnant women 1047
Akiyama M, Okabe H, Takakura K, Fujiyama Y, Noda Y. Expression of macrophage inflammatory protein-1α (MIP-1α) in human endometrium throughout the menstrual cycle 725
Akiyama M. *See* Sasaki H.
Al Emadi MI. *See* Alsakka M.
Al Homsi U. *See* Alsakka M.
Alberman E. *See* Harris R.
Alfirevic Z, Boer K, Brocklehurst P, Buimer M, Elbourne D, Kok J, Tansey S. Two trials of antenatal thyrotrophin-releasing hormone for fetal maturation: stopping before the due date 898
Alfirevic Z. *See* Brocklehurst P.
Alfirevic Z. *See* Hofmeyr GJ.
Allan Herd J. *See* Belfort MA.
Alsakka M, Ejeckam GC, Al Homsi U, Sharara H, Al Emadi MI, Chong-Lopez A, Helmi I. Chorionic gonadotrophins-secreting adrenal cortical carcinoma: mimicking a malignant trophoblastic disease 989
Alyusuf R. *See* Dundas KC.
Amankwah KS. *See* Panter KR.
Amant F, Spitz B, Timmerman D, Corremans A, Van Assche FA. Misoprostol compared with methylergometrine for the prevention of postpartum haemorrhage: a double-blind randomised trial 1066
Amso N. *See* Anwer A.
Amy J-J. The seven surgeons of King's: a fable by Æsop [letter] 511
Ancel P-Y, Saurel-Cubizolles M-J, Di Renzo GC, Papiernik E, Bréart G. Very and moderate preterm births: are the risk factors different? 1162
Anders K. *See* Boos K.
Anderson RA. *See* Bath LE.
Andersson K. *See* Lindgren R.
Andoh T. *See* Yoshimitsu N.
Anglès A. *See* Bellart J.
Anklesaria BS. *See* Bhathena RK.
Anwer A, Amso N. The seven surgeons of King's: a fable by Æsop [letter] 876
Anzén B. *See* Zetterström JP.
Arreghini A. *See* Locatelli A.
Arulkumaran S, Symonds IM. Psychosocial support or active management of labour or both to improve the outcome of labour 617
Ashmore J. *See* Bell SC.
Ashok PW, Templeton A. Nonsurgical mid-trimester termination of pregnancy: a review of 500 consecutive cases 706
Attwood S. *See* Pickersgill A.
Axelsson O. *See* Gottlieb P.
Ayres-de-Campos D, Bernardes J, Costa-Pereira A, Pereira-Leite L. Inconsistencies in classification by experts of cardiotocograms and subsequent clinical decision 1307

Backos M, Rai R, Baxter N, Chilcott IT, Cohen H, Regan L. Pregnancy complications in women with recurrent miscarriage associated with antiphospholipid antibodies treated with low dose aspirin and heparin 102
Bader W. *See* van Leeuwen P.
Baghurst P. *See* Tabrizi SN.
Bagolan P, Bilancioni E, Spina V, Nahom A, Trucchi A, Gambuzza G, Drago F, Giorlandino C. Fetal tachycardia and chylous ascites 376
Bailey J. *See* Cardozo L.
Baker PN. *See* Crocker IP.
Baker PN. *See* Duncan KR.
Baker PN. *See* Morgan L.
Baker PN. *See* Smith SC.
Bakos O. *See* Gottlieb P.
Balen AH. *See* Hayden CJ.
Barden A. Circulating markers of oxidative stress are raised in normal pregnancy and pre-eclampsia [letter] 1232
Barik S, Tidy J. Screening for endometrial cancer in asymptomatic postmenopausal women with conventional and colour Doppler sonography [letter] 1229
Barker S. *See* McCowan LME.
Barlow DH. *See* Zondervan KT.
Barlow DH. *See* Zondervan KT.
Barton DPJ. *See* Moskovic EC.
Barton DPJ. *See* Tsahalina E.
Bartram CI. *See* Frudinger A.
Bath LE, Critchley HOD, Chambers SE, Anderson RA, Kelnar CJH, Wallace WHB. Ovarian and uterine characteristics after total body irradiation in childhood and adolescence: response to sex steroid replacement 1265
Baud O, Emilie D, Pelletier E, Lacaze-Masmonteil T, Zupan V, Fernandez H, Dehan M, Frydman R, Ville Y. Amniotic fluid concentrations of Interleukin-1ß, Interleukin-6 and TNF-α in chorioamnionitis before 32 weeks of gestation: histological associations and neonatal outcome 72
Baxter N. *See* Backos M.
Baylis PH. *See* Patient C.
Beardsworth SA, Kearney CE, Purdie DW. Prevention of postmenopausal bone loss at lumbar spine and upper femur with tibolone: a two-year randomised controlled trial 678
Beebeejaun H. *See* Ong S.
Bekir JS. *See* Engmann L.
Belfort MA, Saade GR, Grunewald C, Dildy GA, Abedejos P, Allan Herd J, Nisell H. Association of cerebral perfusion pressure with headache in women with pre-eclampsia 814
Bell SC, Halligan AWF, Martin A, Ashmore J, Shennan AH, Lambert PC, Taylor DJ. The role of observer error in antenatal dipstick proteinuria analysis 1177
Bell SC. *See* Halligan AWF.
Bellart J, Gilabert R, Anglès A, Piera V, Miralles RM, Monasterio J, Cabero L. Tissue factor levels and high ratio of fibrinopeptide A:D-dimer as a measure of endothelial procoagulant disorder in pre-eclampsia 594
Bellini P. *See* Locatelli A.
Belloni C. *See* Vercellini P.
Benachi A. *See* Dommergues M.
Benedetto C. *See* Florio P.
Benifla J-L. *See* Dommergues M.
Bennet L, Kozuma S, McGarrigle HHG, Hanson MA. Temporal changes in fetal cardiovascular, behavioural, metabolic and endocrine responses to maternally administered dexamethasone in the late gestation fetal sheep 331
Bennet L. *See* Westgate JA.
Bernardes J. *See* Ayres-de-Campos D.
Beynon JL. *See* Kent ASH.
Bhabra K. *See* Jolly J.
Bhathena RK, Anklesaria BS, Ganatra AM. The treatment of hypertriglyceridaemia in menopausal women with transdermal

oestradiol therapy 980
Bidmead J. *See* Khullar V.
Bieglmayer C. *See* Eppel W.
Bigrigg MA. *See* Tahir MM.
Bilancioni E. *See* Bagolan P.
Blair Bell Research Society. Papers presented at the Birmingham Women's Hospital, December 1998 1100
Blair Bell Research Society. Papers presented at the Nottingham City Hospital, June 1999 1321
Blake LL, Shaw RW. Mitochondrial myopathy in a primigravid pregnancy 871
Blake PM. *See* Tsahalina E.
Boer K. *See* Alfirevic Z.
Boos K, Hextall A, Cardozo L, Toozs-Hobson P, Anders K, Treasure J. Lower urinary tract symptoms and their impact on women with anorexia nervosa 501
Boos K. *See* Cardozo L.
Boppart SA, Goodman A, Libus J, Pitris C, Jesser CA, Brezinski ME, Fujimoto JG. High resolution imaging of endometriosis and ovarian carcinoma with optical coherence tomography: feasibility for laparoscopic-based imaging 1071
Borg AJ. *See* Tabrizi SN.
Bossmar T. *See* Åkerlund M.
Boulvain M, Irion O, Marcoux S, Fraser W. Sweeping of the membranes to prevent post-term pregnancy and to induce labour: a systematic review 481
Bourne TH. *See* Tailor A.
Bouvier-Colle M-H. Maternal intensive care and near-miss mortality in obstetrics [letter] 1234
Bowell P. *See* MacKenzie IZ.
Bowen-Simpkins P. *See* O'Leary A.
Boyd PA. *See* Huddy CLJ.
Boylan P. *See* Impey L.
Braithwaite JM. *See* Economides DL.
Branagan G, Woolas RP, Senapati A, Cripps NPJ. Streptococcus milleri infection mimicking ovarian carcinoma 745
Bréart G. *See* Ancel P-Y.
Breeze C. *See* Nwosu EC.
Brezinski ME. *See* Boppart SA.
British Gynaecological Cancer Society. Abstracts presented at meetings of the British Gynaecological Cancer Society held in Leeds, May 1998 and Leicester, November 1998 379
British Gynaecological Cancer Society. Abstracts presented at the Spring Scientific Meeting, held at the Mersey Maritime Museum, Liverpool, May 1999 992
Broadhead T. *See* Davies Q.
Brocklehurst P, Gates S, McKenzie-McHarg K, Alfirevic Z, Chamberlain G. Are we prescribing multiple courses of antenatal corticosteroids? A survey of practice in the UK 977
Brocklehurst P. Randomised trials in maternal and perinatal medicine: global partnerships are the way forward [letter] 875
Brocklehurst P. *See* Alfirevic Z.
Brook CGD. *See* Geary M.
Brookes S. *See* Jackson S.
Brookes ST. *See* Tahir MM.
Brosens I. *See* Van De Putte I.
Brouard R. *See* Åkerlund M.
Broughton Pipkin F. *See* Morgan L.
Brown A. *See* Mann CH.
Brown JM. *See* Stead ML.
Brown MA, Robinson A, Jones M. The white coat effect in hypertensive pregnancy: much ado about nothing? 474
Brown R. Choosing options for ultrasound screening in pregnancy and comparing cost effectiveness: a decision analysis approach [letter] 397
Brown SB. *See* Gannon MJ.
Browning JJ. *See* Tahir MM.
Bruinse HW. *See* Vermeulen GM.
Bruinse HW. *See* Wolf H.
Buchan S. *See* Cruickshank ME.
Büchtemann AS, Steins A, Volkert B, Hahn M, Klyscz T, Jünger M. The effect of compression therapy on venous haemodynamics in pregnant women 563
Bugg G. Two-year follow up of women randomised to medical management or transcervical resection of the endometrium for heavy menstrual loss: clinical and quality of life outcomes [letter] 1230
Bugg G, Hosker G, Kiff E. Prevalence of faecal incontinence among women with urinary incontinence [letter] 1233
Buimer M. *See* Alfirevic Z.
Buist R. *See* Upadhyay N.
Burrows R. Splenectomy during pregnancy: an option in treatment of autoimmune thrombocytopenic purpura [letter] 1330
Burton G. *See* Moore KH.
Byrne P. *See* Connolly G.
Byrne P. *See* Jácob S.

Cabero L. *See* Bellart J.
Calder AA. *See* Dundas KC.
Calvert E. *See* Howells REJ.
Campa JS. *See* Simpkin JC.
Campbell D. *See* Ong S.
Campbell R. Review and assessment of selection criteria used when booking pregnant women at different places of birth 550
Campbell S. *See* Chervenak FA.
Campbell S. *See* Harrington K.
Campbell S. *See* Schwärzler P.
Campbell S. *See* Tailor A.
Campo R. *See* Van De Putte I.
Candy B. *See* Clement S.
Canick JA. *See* Wald NJ.
Capello JJ. *See* Reuvekamp A.
Cardozo L, Hextall A, Bailey J, Boos K. Colposuspension after previous failed incontinence surgery: a prospective observational study 340
Cardozo L. *See* Boos K.
Cardozo L. *See* Khullar V.
Carey M. *See* Maher C.
Carlin EM, Smith CD, Heason J, Liu DTY, Ahmed JIH, Hammond RH. A randomised comparison of strategies for reducing infective complications of induced abortion [letter] 287
Carpenter RG. *See* Harrington K.
Carroll SGM, Davies T, Kyle PM, Abdel-Fattah S, Soothill PW. Fetal karyotyping by chorionic villus sampling after the first trimester 1035
Carter J. *See* Johanson RB.
Carter PG. *See* Tsahalina E.
Carvalho JS. *See* Schwärzler P.
Casele HL. *See* Laifer SA.
Castaigne D. *See* Morice P.
Catalan J. *See* Khastgir G.
Chaliha C, Stanton SL. Complications of surgery for genuine stress incontinence 1238
Chamberlain G. *See* Brocklehurst P.
Chamberlain P. *See* Huddy CLJ.
Chambers SE. *See* Bath LE.
Chan CSY. *See* Zosmer N.
Chan F. *See* Tsahalina E.
Chang AMZ. *See* Leung TN.
Chappell L, Poulton L, Halligan A, Shennan AH. Lack of consistency in research papers over the definition of pre-eclampsia 983
Chapple CR. *See* Rosario DJ.
Charlton L. *See* Patient C.
Chatzipapas IK. *See* Whitlow BJ.
Cheeseman GJ. *See* Jobanputra J.
Chen S. *See* Tabrizi SN.
Cheng S-P. *See* Cheng W-F.
Cheng W-F, Wei L-H, Su Y-N, Cheng S-P, Chu J-S, Lee C-N. The possible use of colour flow Doppler in planning treatment in early invasive carcinoma of the cervix 1137
Chenoy R. *See* Howells REJ.
Chervenak F. *See* de Crespigny L.
Chervenak FA, McCullough LB, Campbell S. Third trimester abortion: is compassion enough? 293
Chiaffarino F, Parazzini F, La Vecchia C, Marsico S, Surace M, Ricci E.

Use of oral contraceptives and uterine fibroids: results from a case–control study 857
Chien PFW. *See* Farrell T.
Chien PFW. *See* Hawe JA.
Chikosi AB, Moodley J, Pegoraro RJ, Lanning PA, Rom L. 5,10 methylenetetrahydrofolate reductase polymorphism in black South African women with pre-eclampsia 1219
Chilcott IT. *See* Backos M.
Chong-Lopez A. *See* Alsakka M.
Choy CC. *See* Paul AC.
Choy CC. *See* Paul AC.
Chu J-S. *See* Cheng W-F.
Chung TKH. *See* Leung TN.
Clack AR. *See* Jobanputra J.
Clayton R. *See* Hawe JA.
Clayton RD, Hawe JA, Love JC, Wilkinson N, Garry R. Recurrent pain after hysterectomy and bilateral salpingo-oophorectomy for endometriosis: evaluation of laparoscopic excision of residual endometriosis 740
Clayton RD, Snowden S, Weston MJ, Mogensen O, Eastaugh J, Lane G. Neural networks in the diagnosis of malignant ovarian tumours 1078
Clement S, Candy B, Sikorski J, Wilson J, Smeeton N. Does reducing the frequency of routine antenatal visits have long term effects? Follow up of participants in a randomised controlled trial 367
Cnattingius S. *See* Otterblad Olausson P.
Cohen H. *See* Backos M.
Collins WP. *See* Tailor A.
Conley M. *See* Daly SF.
Connolly G, Byrne P. Teenage pregnancies and risk of late fetal death and infant mortality [letter] 1230
Cook J. *See* Draycott T.
Cooper A. *See* Spencer C.
Cooper KG, Parkin DE, Garratt AM, Grant AM. Two-year follow up of women randomised to medical management or transcervical resection of the endometrium for heavy menstrual loss: clinical and quality of life outcomes 258
Corremans A. *See* Amant F.
Costa-Pereira A. *See* Ayres-de-Campos D.
Cotzias CS. *See* Cox J.
Cox J, Cotzias CS, Siakpere O, Osuagwu FI, Holmes EP, Paterson-Brown S. Does an inflatable obstetric belt facilitate spontaneous vaginal delivery in nulliparae with epidural analgesia? 1280
Crawshaw S. *See* Morgan L.
Cripps NPJ. *See* Branagan G.
Critchley HOD. *See* Bath LE.
Crocker IP, Wellings RP, Fletcher J, Baker PN. Neutrophil function in women with pre-eclampsia 822
Crocombe WD. *See* Stead ML.
Cronin N. *See* Hodgson DA.
Crook D. *See* Spencer C.
Crosignani PG. *See* Vercellini P.
Crowther CA, Kornman L, O'Callaghan S, George K, Furness M, Willson K. Is an ultrasound assessment of gestational age at the first antenatal visit of value? A randomised clinical trial 1273
Cruickshank DJ. *See* Gouk EV.
Cruickshank ME, Buchan S, Melvin WT, Kitchener HC. Human papillomavirus type 16 and 18 detection in the management of mild dyskaryosis 969
Cuckle H, Sehmi I. Calculating correct Down's syndrome risks 371
Cumming GP. *See* Narayansingh GV.
Cunningham J, Yates Z, Hamlington J, Mason G, Mueller R, Miller D. Non-invasive RNA-based determination of fetal Rhesus D type: a prospective study based on 96 pregnancies 1023
Currie I. *See* Watson AJS.

D'Souza D. The Ipswich Childbirth Study: 1. A randomised evaluation of two stage postpartum perineal repair leaving the skin unsutured [letter] 89
Daly SF, Molloy AM, Mills JL, Lee YJ, Conley M, Kirke PN, Weir DG, Scott JM. The influence of 5,10 methylenetetrahydrofolate reductase genotypes on enzyme activity in placental tissue 1214
Danielian P, Porter B, Ferri N, Summers J, Templeton A. Misoprostol for induction of labour at term: a more effective agent than dinoprostone vaginal gel 793
Davies A. Treatment with a gonadotrophin releasing hormone agonist before hysterectomy for leiomyomas: results of a multicentre, randomised controlled trial [letter] 751
Davies Q, Perkins AC, Roos JC, Molthoff CFM, Verheijen RHM, Frier M, Kenemans P, Broadhead T, Sopwith M, Symonds EM. An immunoscintigraphic evaluation of the engineered human monoclonal antibody (hCTMO1) for use in the treatment of ovarian carcinoma 31
Davies T. *See* Carroll SGM.
Davison JM. *See* Patient C.
Dawes MG. *See* Zondervan KT.
Dawes MG. *See* Zondervan KT.
de Cossart L. *See* Sparey C.
de Crespigny L, Chervenak F, McCullough L. Mothers and babies, pregnant women and fetuses 1235
De Leo V. *See* Morgante G.
de Swiet M. *See* Elder MG.
Dehan M. *See* Baud O.
Dekker GA. *See* Marieke Paarlberg K.
des Noëttes R. *See* Dommergues M.
Di Carlo C. *See* Florio P.
Di Renzo GC. *See* Ancel P-Y.
Dickinson CJ. Could tight garments cause endometriosis? 1003
Dickson MJ. Vaginal delivery after previous caesarean section for failure of second stage of labour [letter] 749
Dildy GA. *See* Belfort MA.
Ditto A. *See* Morgante G.
Dixon RM. *See* Magee LA.
Dodge J. *See* Harris R.
Dolk A. *See* Zetterström JP.
Dommergues M, Benachi A, Benifla J-L, des Noëttes R, Dumez Y. The reasons for termination of pregnancy in the third trimester 297
Dong F. *See* Singh K.
Donnez J. A national survey of the complications of endometrial destruction for menstrual disorders: the MISTLETOE study [letter] 1329
Douchi T. *See* Yoshimitsu N.
Drago F. *See* Bagolan P.
Draycott T, Cook J, Fox R, Jenkins J. Information Technology for postgraduate education: survey of facilities and skills in the South West Deanery 731
Duffy S. *See* Rogerson L.
Duits AJ. *See* Reuvekamp A.
Duley L, Farrell B, Neilson JP. Magnesium sulphate: a review of clinical pharmacology applied to obstetrics [letter] 180
Dumez Y. *See* Dommergues M.
Duncan KR, Gowland PA, Freeman A, Moore R, Baker PN, Johnson IR. The changes in magnetic resonance properties of the fetal lungs: a first result and a potential tool for the non-invasive in utero demonstration of fetal lung maturation 122
Dundas KC, Calder AA, Alyusuf R. Enterobius vermicularis threadworm infestation of paraovarian tissue in a woman who has had a hysterectomy 605
Dunn PDJ. *See* Howells REJ.
Dwyer P. *See* Maher C.

Eason E. Randomised trial comparing the upright and supine positions for the second stage of labour [letter] 291
Eastaugh J. *See* Clayton RD.
Eccersley PS. *See* Wahab MA.
Economides DL, Kadir RA, Lee CA. Inherited bleeding disorders in obstetrics and gynaecology 5
Economides DL, Whitlow BJ, Braithwaite JM. Ultrasonography in the detection of fetal anomalies in early pregnancy 516
Economides DL. *See* Whitlow BJ.
Egberts J. Circulating markers of oxidative stress are raised in normal pregnancy and pre-eclampsia [letter] 751
Ejeckam GC. *See* Alsakka M.
Ekholm E. *See* Virtanen I.

Ekholm EMK. *See* Vesalainen RK.
Elbourne D. *See* Alfirevic Z.
Elbourne D. *See* Fairlie FM.
Elder MG, de Swiet M, Sullivan M. A randomised trial of low dose aspirin for primiparae in pregnancy (Golding)/Barbados low dose aspirin study in pregnancy (BLASP) (Rotchell et al.) [letter] 180
Ellwood JL. Survey of obstetricians' understanding of the phrase '37 completed weeks' in the definition of term [letter] 1000
Emilie D. *See* Baud O.
Enevoldson TP. *See* Nwosu EC.
Engmann L, Maconochie N, Bekir JS, Jacobs HS, Lin Tan S. Cumulative probability of clinical pregnancy and live birth after a multiple cycle IVF package: a more realistic assessment of overall and age-specific success rates? 165
Entwistle CC. *See* MacKenzie IZ.
Eppel W, Kucera E, Bieglmayer C. Relationship of serum levels of endogenous relaxin to cervical size in the second trimester and to cervical ripening at term 917
Erian J. *See* Hawe JA.
Erkkola R. *See* Virtanen I.
Erkkola RU. *See* Vesalainen RK.
Esen U, Olajide F. The value of screening for Down's Syndrome in a socioeconomically deprived area with a high ethnic population [letter] 87
Etard J-F, Kodio B, Traoré S. Assessment of maternal mortality and late maternal mortality among a cohort of pregnant women in Bamako, Mali 60
Etherington I. *See* Teale G.
Evans M. *See* Hodgson DA.

Faber R. *See* Stepan H.
Fadini R. *See* Vercellini P.
Fairley CK. *See* Tabrizi SN.
Fairlie FM, Marshall L, Walker JJ, Elbourne D. Intramuscular opioids for maternal pain relief in labour: a randomised controlled trial comparing pethidine with diamorphine 1181
Fairlie FM. *See* Adeniji AA.
Falconer GF. *See* Pickersgill A.
Fall O. *See* Wallin G.
Fallowfield LJ. *See* Stead ML.
Faridi A, Rath W. Anal incontinence after vaginal delivery: a prospective study in primiparous women [letter] 1107
Farine D. *See* Panter KR.
Farrell B. *See* Duley L.
Farrell T, Chien PFW, Gordon A. Intrapartum umbilical artery Doppler velocimetry as a predictor of adverse perinatal outcome: a systematic review 783
Feinstein M. *See* Lurie S.
Feldberg IB. *See* Hodgson DA.
Fernandez H. *See* Baud O.
Ferri N. *See* Danielian P.
Fianu-Jonasson A. *See* Röckner G.
Fisk NM. *See* Glover V.
Fitzmaurice A. *See* Ong S.
Fletcher J. *See* Crocker IP.
Florio P, Benedetto C, Luisi S, Santuz M, Di Carlo C, Marozio L, Genazzani AR, Petraglia F. Activin A, inhibin A, inhibin B and parturition: changes of maternal and cord serum levels according to the mode of delivery 1061
Foden Shroff J. *See* Howells REJ.
Fong YF. *See* Singh K.
Foote A. *See* Moore KH.
Ford C. *See* McCowan LME.
Fortune P-M, Thomas RM. Sub-aponeurotic haemorrhage: a rare but life-threatening neonatal complication associated with ventouse delivery 868
Fox R. *See* Draycott T.
Francis A. *See* Gardosi J.
Fraser W. *See* Boulvain M.
Freeman A. *See* Duncan KR.
Freeman-Wang T. *See* Olaitan A.
Frier M. *See* Davies Q.
Frudinger A, Halligan S, Bartram CI, Spencer JAD, Kamm MA. Changes in anal anatomy following vaginal delivery revealed by anal endosonography 233
Frydman R. *See* Baud O.
Fujimoto JG. *See* Boppart SA.
Fujiyama Y. *See* Akiyama M.
Furness M. *See* Crowther CA.

Gambuzza G. *See* Bagolan P.
Ganatra AM. *See* Bhathena RK.
Gannon MJ, Brown SB. Photodynamic therapy and its applications in gynaecology 1246
Gardosi J, Francis A. Controlled trial of fundal height measurement plotted on customised antenatal growth charts 309
Gargari SS. *See* Kean LH.
Garland SM. *See* Tabrizi SN.
Garratt AM. *See* Cooper KG.
Garry R. *See* Clayton RD.
Garry R. *See* Hawe JA.
Garry R. *See* Hawe JA.
Garry R. *See* Stead ML.
Gates S. *See* Brocklehurst P.
Geary M, Pringle PJ, Persaud M, Wilshin J, Hindmarsh PC, Rodeck CH, Brook CGD. Leptin concentrations in maternal serum and cord blood: relationship to maternal anthropometry and fetal growth 1054
Geelan S. In vitro fertilisation, sex offending and confidentiality 399
Geissler J. *See* van Leeuwen P.
Genazzani AR. *See* Florio P.
George K. *See* Crowther CA.
Ghidini A. *See* Locatelli A.
Gilabert R. *See* Bellart J.
Gilmour D. *See* Maher C.
Giorlandino C. *See* Bagolan P.
Glanzmann R. *See* Surbek DV.
Glasier A. *See* Jobanputra J.
Glover V, Fisk NM. Fetal pain: implications for research and practice 881
Goepel JR. *See* Rosario DJ.
Goffinet F. *See* Verspyck E.
Goldberg D. *See* Newell M-L.
Goodlin RC. Modified Joel-Cohen technique for caesarean delivery [letter] 1329
Goodman A. *See* Boppart SA.
Gordon A. *See* Farrell T.
Gordts S. *See* Van De Putte I.
Gore ME. *See* Tsahalina E.
Gorton E, Stanton S. Women's attitudes to urodynamics: a questionnaire survey 851
Gottlieb P, Axelsson O, Bakos O, Rastad J. Splenectomy during pregnancy: an option in the treatment of autoimmune thrombocytopenic purpura 373
Gouk EV, Lincoln K, Khair A, Haslock J, Knight J, Cruickshank DJ. Medical termination of pregnancy at 63 to 83 days gestation 535
Gowland PA. *See* Duncan KR.
Graham WJ, Hundley V, McCheyne AL, Hall MH, Gurney E, Milne J. An investigation of women's involvement in the decision to deliver by caesarean section 213
Grant A. A randomised trial of endometrial ablation versus hysterectomy for the treatment of dysfunctional uterine bleeding: outcome at four years [letter] 876
Grant AM. *See* Cooper KG.
Greer I. *See* Sattar N.
Greer IA. *See* McColl MD.
Gregory H. *See* MacKenzie IZ.
Griffiths DJ, Louca O, Johanson R. Shoulder dystocia [letter] 610
Grönemeyer DHW. *See* van Leeuwen P.
Grönroos M. *See* Vuento MH.
Grunewald C. *See* Belfort MA.
Guest C. *See* MacKenzie IZ.
Gülmezoglu AM. *See* Hofmeyr GJ.

Gunn AJ. *See* Westgate JA.
Gunn AJ. *See* Westgate JA.
Gunn TR (the late). *See* Westgate JA.
Gupta J. *See* Maouris P.
Gurney E. *See* Graham WJ.

Haddad N. *See* Sparey C.
Haglund B. *See* Otterblad Olausson P.
Hague WM. *See* Khong TY.
Hahlin M. *See* Nielsen S.
Hahn M. *See* Büchtemann AS.
Haider Z. *See* Kent ASH.
Haie-Meder C. *See* Morice P.
Hailer B. *See* van Leeuwen P.
Hall MH. *See* Graham WJ.
Halligan A. *See* Chappell L.
Halligan AWF, Bell SC, Taylor DJ. Dipstick proteinuria: caveat emptor 1113
Halligan AWF. *See* Bell SC.
Halligan S. *See* Frudinger A.
Hamlington J. *See* Cunningham J.
Hammond RH. *See* Carlin EM.
Hannah ME. *See* Panter KR.
Hanson MA. *See* Bennet L.
Harding J. *See* McCowan LME.
Harrington K, Thompson MO, Carpenter RG, Nguyen M, Campbell S. Doppler fetal circulation in pregnancies complicated by pre-eclampsia or delivery of a small for gestational age baby: 2. Longitudinal analysis 453
Harrington K. *See* Thilaganathan B.
Harris H. *See* Harris R.
Harris R, Lane B, Harris H, Williamson P, Dodge J, Modell B, Ponder B, Rodeck C, Alberman E. National Confidential Enquiry into counselling for genetic disorders by non-geneticists: general recommendations and specific standards for improving care 658
Harrison RF. *See* Jacob S.
Hart R, Molnár BG, Magos A. Long term follow up of hysteroscopic myomectomy assessed by survival analysis 700
Haslett E, Urquhart J, Mitchell A, Porteous M. Millennium babies [letter] 1000
Haslock J. *See* Gouk EV.
Hatano H. *See* Yoshimitsu N.
Hau C. *See* Smith NC.
Haukkamaa M. *See* Henry A-M.
Hawe JA, Clayton R, Phillips G, Whittaker M, Kucukmetin A, Garry R. Laparoscopic-assisted Doderlein hysterectomy: retrospective analysis of 300 consecutive cases 1083
Hawe JA, Phillips AG, Chien PFW, Erian J, Garry R. Cavaterm thermal balloon ablation for the treatment of menorrhagia 1143
Hawe JA. *See* Clayton RD.
Hayden CJ, Balen AH, Rutherford AJ. Recombinant gonadotrophins 188
Heason J. *See* Carlin EM.
Hecher K, van Gemert MJC. Colour Doppler energy insonation of placental vasculature in monochorionic twins: absent arterio-arterial anastomoses in association with twin-to-twin transfusion syndrome [letter] 290
Heinen AGJJ. *See* Marieke Paarlberg K.
Helin H-L, Penttinen J, Kirkinen P. Perioperative ultrasonography of lymph nodes in patients with gynaecological malignancy 410
Hellot MF. *See* Verspyck E.
Helmi I. *See* Alsakka M.
Henderson-Smart D. *See* Roberts CL.
Henry A-M, Haukkamaa M. Comparison of vaginal misoprostol and gemeprost as pre-treatment in first trimester pregnancy interruption 540
Herzog A. *See* Klein P.
Hesch R-D, Kenemans P. Hormonal prevention of breast cancer: proposal for a change in paradigm 1006
Hextall A. *See* Boos K.
Hextall A. *See* Cardozo L.
Heycock E. *See* Johanson RB.
Hill MG. *See* Thompson C.
Hindmarsh PC. *See* Geary M.
Hirschowitz L. *See* Hodgson DA.
Hittmair A. *See* Widschwendter M.
Hodges AM. Vesico-vaginal fistula associated with uterine prolapse 1227
Hodgson DA, Feldberg IB, Sharp N, Cronin N, Evans M, Hirschowitz L. Microwave endometrial ablation: development, clinical trials and outcomes at three years 684
Hofmeyr GJ, Gülmezoglu AM, Alfirevic Z. Misoprostol for induction of labour: a systematic review 798
Hofmeyr GJ. *See* Moodley J.
Hofmeyr J. *See* Lumbiganon P.
Højberg K-E, Salvig JD, Winsløw NA, Lose G, Secher NJ. Urinary incontinence: prevalence and risk factors at 16 weeks of gestation 842
Hole DJ. *See* Junor EJ.
Holmes EP. *See* Cox J.
Holzgreve W. *See* Surbek DV.
Hoshino H. *See* Takahashi M.
Hosker G. *See* Bugg G.
Howells REJ, Dunn PDJ, Isasi T, Chenoy R, Calvert E, Jones PW, Foden Shroff J, Redman CWE. Is the provision of information leaflets before colposcopy beneficial? A prospective randomised study 528
Huang S-C. *See* Lin H-H.
Huch A. *See* Kurmanavicius J.
Huch A. *See* Kurmanavicius J.
Huch R. *See* Kurmanavicius J.
Huch R. *See* Kurmanavicius J.
Huddy CLJ, Boyd PA, Wilkinson AR, Chamberlain P. Congenital diaphragmatic hernia: prenatal diagnosis, outcome and continuing morbidity in survivors 1192
Hudson CN. *See* Martey JO.
Huggon IC. *See* Zosmer N.
Hundley V. *See* Graham WJ.
Hutchon DJR. Fetal ultrasound biometry: 1. Head reference values [letter] 875
Hutchon DJR. Routine ultrasound is the method of choice for dating pregnancy [letter] 616
Hutchon DJR. *See* Patni S.
Huttly WJ. *See* Wald NJ.

Impey L, Boylan P. Active management of labour revisited 183
Inoue T. *See* Takahashi M.
Irion O. *See* Boulvain M.
Isasi T. *See* Howells REJ.
Italian Endometriosis Study Group. Oral contraceptive use and risk of endometriosis 695

Jackson S, Shepherd A, Brookes S, Abrams P. The effect of oestrogen supplementation on post-menopausal urinary stress incontinence: a double-blind placebo-controlled trial 711
Jackson S. *See* James M.
Jacob S, Byrne P, Harrison RF. Symptomatic cystic swelling at the root of the neck with left sided pleural effusion as a presentation of ovarian hyperstimulation syndrome 986
Jacobs HS. *See* Engmann L.
James DK. *See* Kean LH.
James M, Jackson S, Shepherd A, Abrams P. Pure stress leakage symptomatology: is it safe to discount detrusor instability? 1255
Jartti TT. *See* Vesalainen RK.
Jarvis GJ. *See* Watson AJS.
Javier R-M. *See* Sibilia J.
Jefferies AL. *See* Panter KR.
Jenkins J. *See* Draycott T.
Jermy KV, Stanton SL, Nager CW, Kumar D. A leiomyomatous perineal hernia? 507
Jesser CA. *See* Boppart SA.
Jobanputra J, Clack AR, Cheeseman GJ, Glasier A, Riley SC. A feasibility study of adolescent sex education: medical students as peer

educators in Edinburgh schools 887
Johanson R. *See* Griffiths DJ.
Johanson RB, Heycock E, Carter J, Sultan AH, Walklate K, Jones PW. Maternal and child health after assisted vaginal delivery: five-year follow up of a randomised controlled study comparing forceps and ventouse 544
Johnson DR. *See* Shahtaheri SM.
Johnson IR. *See* Duncan KR.
Johnson MR. *See* Ogueh O.
Johnson P. *See* Mikic TS.
Johnson P. *See* Ulmsten U.
Johnston T. *See* Matijevic R.
Johnston TA, Young G, Kennedy J. Shoulder dystocia [letter] 610
Jolly J, Walker J, Bhabra K. Subsequent obstetric performance related to primary mode of delivery 227
Jones M. *See* Brown MA.
Jones PW. *See* Howells REJ.
Jones PW. *See* Johanson RB.
Jones TH. *See* Adeniji AA.
Jordan J. *See* Teale G.
Jünger M. *See* Büchtemann AS.
Junor EJ, Hole DJ, McNulty L, Mason M, Young J. Specialist gynaecologists and survival outcome in ovarian cancer: a Scottish national study of 1866 patients 1130
Jurkovic D. *See* Tailor A.

Kaaja R. *See* Laivuori H.
Kadir RA. *See* Economides DL.
Kadir RA. *See* Whitlow BJ.
Kaila TJ. *See* Vesalainen RK.
Kakucs R. *See* Acs N.
Kalsheker N. *See* Morgan L.
Kamm MA. *See* Frudinger A.
Kanhai HHH. *See* Mungra A.
Karantzis P. *See* Wahab MA.
Karlsson K. *See* Lindgren R.
Kean LH, Suwanrath C, Gargari SS, Sahota DS, James DK. A comparison of fetal behaviour in breech and cephalic presentations at term 1209
Kearney CE. *See* Beardsworth SA.
Kehoe S. *See* Mann CH.
Keighley MRB. *See* Radley S.
Kelleher C. *See* Khullar V.
Kelnar CJH. *See* Bath LE.
Kemp GJ. *See* Magee LA.
Kenemans P. *See* Davies Q.
Kenemans P. *See* Hesch R-D.
Kennedy J. *See* Johnston TA.
Kennedy SH. *See* Zondervan KT.
Kennedy SH. *See* Zondervan KT.
Kent ASH, Haider Z, Beynon JL. Puerperal sepsis: a disease of the past? 1314
Kermani F. *See* Simpkin JC.
Khair A. *See* Gouk EV.
Khaleeli AA. *See* Nwosu EC.
Khanna S. Inversion of uterus through an upper segment scar 1225
Khastgir G, Studd J, Catalan J. Is there a hormonal basis to hysterectomy-related depression? 620
Khastgir G. *See* Ogueh O.
Khong TY, Hague WM. The placenta in maternal hyperhomocysteinaemia 273
Khullar V, Cardozo L, McLellan A, Bidmead J, Kelleher C. Impact of surgery for stress incontinence on the social lives of women [letter] 290
Kiff E. *See* Bugg G.
King H. *See* Ogueh O.
King J. *See* Moore KH.
Kingdom JCP. *In vivo* assessment of failed trophoblastic invasion of the spiral arteries in pre-eclampsia [letter] 1328
Kirke PN. *See* Daly SF.
Kirkinen P. *See* Helin H-L.
Kitchener HC. *See* Cruickshank ME.
Klein P, Versi E, Herzog A. Mood and the menopause 1
Klyscz T. *See* Büchtemann AS.
Knight J. *See* Gouk EV.
Kodio B. *See* Etard J-F.
Kok J. *See* Alfirevic Z.
Kolho K-L, Tiitinen A, Tulppala M, Unkila-Kallio L, Savilahti E. Screening for coeliac disease in women with a history of recurrent miscarriage or infertility 171
Kornman L. *See* Crowther CA.
Kostrzewska A. *See* Åkerlund M.
Kozuma S. *See* Bennet L.
Krebs L, Topp M, Langhoff-Roos J. The relation of breech presentation at term to cerebral palsy 943
Kucera E. *See* Eppel W.
Kucukmetin A. *See* Hawe JA.
Kuczmierczyk AR. *See* Nikcevic AV.
Kumar D. *See* Jermy KV.
Kumar D. *See* Sultan AH.
Kuntz JL. *See* Sibilia J.
Kurmanavicius J, Wright EM, Royston P, Wisser J, Huch R, Huch A, Zimmermann R. Fetal ultrasound biometry: 1. Head reference values 126
Kurmanavicius J, Wright EM, Royston P, Zimmermann R, Huch R, Huch A, Wisser J. Fetal ultrasound biometry: 2. Abdomen and femur length reference values 136
Kushida K. *See* Takahashi M.
Kyle PM. *See* Carroll SGM.

la Marca A. *See* Morgante G.
La Vecchia C. *See* Chiaffarino F.
Lacaze-Masmonteil T. *See* Baud O.
Lagrelius A. *See* Lindgren R.
Laifer SA, Casele HL. Puerperal thromboprophylaxis: comparison of the anti-Xa activity of enoxaparin and unfractionated heparin [letter] 614
Laippala PJ. *See* Vuento MH.
Laivuori H, Kaaja R, Turpeinen U, Stenman U-H, Ylikorkala O. Serum activin A and inhibin A elevated in pre-eclampsia: no relation to insulin sensitivity 1298
Lakasing L, Spencer JAD. Continuation of pregnancy after mid-trimester gemeprost administration 1319
Lambert PC. *See* Bell SC.
Lane B. *See* Harris R.
Lane G. *See* Clayton RD.
Langhoff-Roos J. *See* Krebs L.
Lanning PA. *See* Chikosi AB.
Lashen H, Afnan M, Sharif K. A controlled comparison of ovarian response to controlled stimulation in first generation Asian women compared with white Caucasians undergoing in vitro fertilisation 407
Lau WC, Lo WK, Tam WH, Yuen PM. Paracervical anaesthesia in outpatient hysteroscopy: a randomised double-blind placebo-controlled trial 356
Laudanski T. *See* Åkerlund M.
Lazanakis ML. *See* Whitlow BJ.
Lee C-N. *See* Cheng W-F.
Lee CA. *See* Economides DL.
Lee P. Successful pregnancy in a patient with type III glycogen storage disease managed with cornstarch supplements [letter] 181
Lee YJ. *See* Daly SF.
Lemancewicz A. *See* Åkerlund M.
Leung TN, Chung TKH, Madsen G, McLean M, Chang AMZ, Smith R. Elevated mid-trimester maternal corticotrophin-releasing hormone levels in pregnancies that delivered before 34 weeks 1041
Leung W-C, Pun T-C, Wong W-M. Undiagnosed breech revisited 638
Libus J. *See* Boppart SA.
Liljestrand J. Reducing perinatal and maternal mortality in the world: the major challenges 877
Lin H-H, Sheu B-C, Lo M-C, Huang S-C. Comparison of treatment outcomes of imipramine for female genuine stress incontinence 1089
Lin Tan S. *See* Engmann L.
Lincoln K. *See* Gouk EV.

Lindgren R, Mattsson L-Å, Andersson K, Lagrelius A, Sandin K, Karlsson K, Risberg B. Transvaginal ultrasonography and endometrial histology in peri- and postmenopausal women on hormone replacement therapy 421
Lindow SW. *See* Wahab MA.
Linton EA. *See* Simpkin JC.
Liu C. *See* Sasaki H.
Liu DTY. *See* Carlin EM.
Lo M-C. *See* Lin H-H.
Lo WK. *See* Lau WC.
Locatelli A, Roncaglia N, Arreghini A, Bellini P, Vergani P, Ghidini A. Hepatitis C virus infection is associated with a higher incidence of cholestasis of pregnancy 498
Loosfelt H. *See* Widschwendter M.
López A. *See* Zetterström JP.
Lose G. *See* Højberg K-E.
Louca O. *See* Griffiths DJ.
Love JC. *See* Clayton RD.
Luesley D. *See* Teale G.
Luesley DM. *See* Mann CH.
Luisi S. *See* Florio P.
Lumbiganon P, Hofmeyr J, Metin Gülmezoglu A, Pinol A, Villar J. Misoprostol dose-related shivering and pyrexia in the third stage of labour 304
Lurie S, Feinstein M, Mamet Y. Listeria monocytogenes reinfection in a pregnant woman 509

Macdonald AM. *See* Thornton JG.
MacKenzie IZ, Bowell P, Gregory H, Pratt G, Guest C, Entwistle CC. Routine antenatal Rhesus D immunoglobulin prophylaxis: the results of a prospective 10 year study 492
MacLean MA. Shoulder dystocia [letter] 182
Macones GA. The utility of clinical tests of eligibility for a trial of labour following a caesarean section: a decision analysis 642
Maconochie N. *See* Engmann L.
Macpherson A. *See* Nicoll AE.
Madsen G. *See* Leung TN.
Magee LA, Dixon RM, Kemp GJ, Redman CWG, Styles P. ^{31}P magnetic resonance spectroscopy of the liver in HELLP syndrome 582
Magos A. *See* Hart R.
Maher C, Dwyer P, Carey M, Gilmour D. The Burch colposuspension for recurrent urinary stress incontinence following retropubic continence surgery 719
Mahmood TA. *See* Thompson C.
Mäkinen JI. *See* Vuento MH.
Mamet Y. *See* Lurie S.
Mann CH, Kehoe S, Brown A, Luesley DM. A study of the follow up patterns of women treated for CIN 2 and 3 before and after the introduction of the 1992 Guidelines 1126
Mann CH. *See* Radley S.
Maouris P, Gupta J. Shoulder dystocia [letter] 610
Marcoux S. *See* Boulvain M.
Maresh M. *See* Semple D.
Maresh M. *See* Vause S.
Marieke Paarlberg K, Vingerhoets AJJM, Passchier J, Dekker GA, Heinen AGJJ, van Geijn HP. Psychosocial predictors of low birthweight: a prospective study 834
Marozio L. *See* Florio P.
Marpeau L. *See* Verspyck E.
Marshall L. *See* Fairlie FM.
Marsico S. *See* Chiaffarino F.
Mårtensson L, Wallin G. Labour pain treated with cutaneous injections of sterile water: a randomised controlled trial 633
Martey JO, Hudson CN. Training specialists in the developing world: ten years on, a success story for West Africa 91
Martin A. *See* Bell SC.
Mason G. *See* Cunningham J.
Mason M. *See* Junor EJ.
Masroor T. *See* Schwärzler P.
Matijevic R, Johnston T. In vivo assessment of failed trophoblastic invasion of the spiral arteries in pre-eclampsia 78
Mattsson L-Å. *See* Lindgren R.
Mayet J, Thorpe-Beeson G, Pepper J, Somerville J. Aortic dissection and triplets: treble the trouble 601
McCheyne AL. *See* Graham WJ.
McColl MD, Walker ID, Greer IA. The role of inherited thrombophilia in venous thromboembolism associated with pregnancy 756
McCowan LME, Harding J, Roberts A, Barker S, Ford C, Stewart A. Administration of low-dose aspirin to mothers with small for gestational age fetuses and abnormal umbilical Doppler studies to increase birthweight: a randomised double-blind controlled trial 647
McCullough L. *See* de Crespigny L.
McCullough LB. *See* Chervenak FA.
McGarrigle HHG. *See* Bennet L.
McGrath MJ. *See* Smith GN.
McGurgan P. Active management of labour revisited [letter] 1002
McGurgan P. New metabolic-endocrine risk markers in endometrial cancer [letter] 1001
McKenzie-McHarg K. *See* Brocklehurst P.
McLean M. *See* Leung TN.
McLellan A. *See* Khullar V.
McMaster-Fay RA. Prediction of pre-eclampsia, low birthweight for gestational age and prematurity by uterine artery blood flow velocity waveforms in low risk nulliparous women [letter] 88
McNulty L. *See* Junor EJ.
Meduri G. *See* Widschwendter M.
Mellgren A. *See* Zetterström JP.
Melvin WT. *See* Cruickshank ME.
Mennim D. *See* Milne DS.
Metin Gülmezoglu A. *See* Lumbiganon P.
Mikic TS, Johnson P. Second trimester maternal serum β human chorionic gonadotrophin and pregnancy outome 598
Miller D. *See* Cunningham J.
Milliez J. *See* Verspyck E.
Mills JL. *See* Daly SF.
Milne DS, Wadehra V, Mennim D, Wagstaff TI. A prospective follow up study of women wit. colposcopically unconfirmed positive cervical smears 38
Milne J. *See* Graham WJ.
Miralles RM. *See* Bellart J.
Mitchell A. *See* Haslett E.
Modell B. *See* Harris R.
Mogensen O. *See* Clayton RD.
Mohanna K, Tunna K. Withholding consent to participate in clinical trials: decisions of pregnant women 892
Mol BWJ. *See* van der Meulen JHP.
Molloy AM. *See* Daly SF.
Molnár BG. *See* Hart R.
Molthoff CFM. *See* Davies Q.
Monasterio J. *See* Bellart J.
Monga AK. *See* Sultan AH.
Monos E. *See* Acs N.
Moodley J, Pattinson RC, Hofmeyr GJ. A randomised controlled trial of intravenous magnesium sulphate versus placebo in the management of women with severe pre-eclampsia [letter] 289
Moodley J. *See* Chikosi AB.
Moore KH, Foote A, Burton G, King J. An open study of the bladder neck support prosthesis in genuine stress incontinence 42
Moore R. *See* Duncan KR.
Morgan L, Crawshaw S, Baker PN, Broughton Pipkin F, Kalsheker N. Maternal and fetal angiotensinogen gene allele sharing in pre-eclampsia 244
Morgante G, la Marca A, Ditto A, De Leo V. Comparison of two malignancy risk indices based on serum CA125, ultrasound score and menopausal status in the diagnosis of ovarian masses 524
Morice P, Castaigne D, Haie-Meder C. The reproductive system after childhood cancer [letter] 511
Morris EP, Wilson POG, Robinson J, Rymer JM. Long term effects of tibolone on the genital tract in postmenopausal women 954
Morris EP. The impact of hormone replacement therapy on quality of life and willingness to pay [letter] 614
Morris JK. *See* Wald NJ.

Morsman JM. The seven surgeons of King's: a fable by Æsop [letter] 511
Moskovic EC, Shepherd JH, Barton DPJ, Trott PA, Nasiri N, Thomas JM. The role of high resolution ultrasound with guided cytology of groin lymph nodes in the management of squamous cell carcinoma of the vulva: a pilot study 863
Mueller R. *See* Cunningham J.
Müller-Holzner E. *See* Widschwendter M.
Mulvey S. *See* Wallace EM.
Mungra A, van Kanten RW, Kanhai HHH, van Roosmalen J. Nationwide maternal mortality in Surinam 55
Murshed R, Nicholls G, Spitz L. Intrinsic duodenal obstruction: trends in management and outcome over 45 years (1951–1995) with relevance to prenatal counselling 1197

Nádasy GL. *See* Acs N.
Naftalin NJ. A bone of contention: an unusual case of secondary infertility 1098
Nagata Y. *See* Yoshimitsu N.
Nagaya K. *See* Sameshima H.
Nager CW. *See* Jermy KV.
Nahom A. *See* Bagolan P.
Narayansingh GV, Cumming GP, Parkin DE. The performance of screening tests for ovarian cancer: results of a systematic review [letter] 1107
Nasiri N. *See* Moskovic EC.
Neilson JP. *See* Duley L.
Nelson-Piercy C. Inherited thrombophilia and adverse pregnancy outcome: has the time come for selective testing? 513
Newcombe RG. The value of the negative predictive values [letter] 1331
Newell M-L, Thorne C, Pembrey L, Nicoll A, Goldberg D, Peckham C. Antenatal screening for hepatitis B infection and syphilis in the UK 66
Nguyen M. *See* Harrington K.
Nicholls G. *See* Murshed R.
Nicolaides KH. *See* Nikcevic AV.
Nicolaides KH. *See* Zosmer N.
Nicoll A. *See* Newell M-L.
Nicoll AE, Norman J, Macpherson A, Acharya U. Association of reduced selenium status in the aetiology of recurrent miscarriage 1188
Nielsen S, Hahlin M, Platz-Christensen J. Randomised trial comparing expectant with medical management for first trimester miscarriages 804
Nikcevic AV, Tunkel SA, Kuczmierczyk AR, Nicolaides KH. Investigation of the cause of miscarriage and its influence on women's psychological distress 808
Nisell H. *See* Belfort MA.
Noda Y. *See* Akiyama M.
Norman J. *See* Nicoll AE.
Norman M. *See* Zetterström JP.
North RA, Taylor RS, Schellenberg J-C. Evaluation of a definition of pre-eclampsia 767
Nwosu EC, Tandon S, Breeze C, Enevoldson TP, Khaleeli AA. Chronic demyelinating polyneuropathy in pregnancy treated with intravenous immunoglobulin 174

O'Callaghan S. *See* Crowther CA.
O'Connor RA. Impact of surgery for stress incontinence on the social lives of women [letter] 613
O'Leary A, Bowen-Simpkins P, Tejura H, Rajesh V. Are high levels of oestradiol after implants associated with features of dependence? 960
Oda M. *See* Sasaki H.
Ogueh O, Khastgir G, Studd JWW, King H, Johnson MR. Postpartum bone mineral density following antenatal dexamethasone therapy 1093
Ohishi T. *See* Takahashi M.
Ohlsson A. *See* Panter KR.
Ohmura M. *See* Sasaki H.
Okabe H. *See* Akiyama M.
Olaitan A, Freeman-Wang T. Do routine antibiotics after loop diathermy excision reduce morbidity? [letter] 398
Olajide F. *See* Esen U.
Olawaiye A. *See* Thilaganathan B.
Olsen O. Expected day of delivery [letter] 1000
Ong S, Beebeejaun H. The effect of physiological urine dilution on pregnancy test results in complicated early pregnancies [letter] 87
Ong S, Smith APM, Fitzmaurice A, Campbell D. Estimation of fetal weight in twins: a new mathematical model 924
Osuagwu FI. *See* Cox J.
Otterblad Olausson P, Cnattingius S, Haglund B. Teenage pregnancies and risk of late fetal death and infant mortality 116

Pajkrt E. *See* van der Meulen JHP.
Pajntar M. *See* Rudel D.
Palmer AM. *See* Simpkin JC.
Panter KR, Hannah ME, Amankwah KS, Ohlsson A, Jefferies AL, Farine D. The effect of indomethacin tocolysis in preterm labour on perinatal outcome: a randomised placebo-controlled trial 467
Papa Petros PE, Skilling PM. The physiological basis of pelvic floor exercises in the treatment of stress urinary incontinence [letter] 615
Papiernik E. *See* Ancel P-Y.
Parazzini F. *See* Chiaffarino F.
Parkin DE. *See* Cooper KG.
Parkin DE. *See* Narayansingh GV.
Passchier J. *See* Marieke Paarlberg K.
Paterson-Brown S. *See* Cox J.
Patient C, Davison JM, Charlton L, Baylis PH, Thornton S. The effect of labour and maternal oxytocin infusion on fetal plasma oxytocin concentration 1311
Patni S, Hutchon DJR. A prospective follow up study of women with colposcopically unconfirmed positive cervical smears [letter] 1232
Pattinson RC. *See* Moodley J.
Paul AC, Choy CC. A randomised comparison of strategies for reducing infective complications of induced abortion [letter] 287
Paul AC, Choy CC. Randomised comparative trial of the levonorgestrel intrauterine system and norethisterone for treatment of idiopathic menorrhagia [letter] 512
Paul S. A prospective study of maternal serum insulin-like growth factor-I in pregnancies with appropriately grown or growth restricted fetuses [letter] 1232
Paul S. Hypothesis: fetal growth [letter] 749
Paul S. Third trimester abortion: is compassion enough? [letter] 1329
Peckham C. *See* Newell M-L.
Pecorari D. Shoulder dystocia [letter] 610
Pegoraro RJ. *See* Chikosi AB.
Pelletier E. *See* Baud O.
Pembrey L. *See* Newell M-L.
Penny J. Severe acute maternal morbidity: a pilot study of a definition of a near-miss [letter] 397
Penttinen J. *See* Helin H-L.
Pepper J. *See* Mayet J.
Pereira-Leite L. *See* Ayres-de-Campos D.
Perkins AC. *See* Davies Q.
Perren TJ. *See* Stead ML.
Persaud M. *See* Geary M.
Petraglia F. *See* Florio P.
Phillips AG. *See* Hawe JA.
Phillips G. *See* Hawe JA.
Pickersgill A, Slade RJ, Falconer GF, Attwood S. Open laparoscopy: the way forward 1116
Piera V. *See* Bellart J.
Pike B. *See* Ross D.
Pinol A. *See* Lumbiganon P.
Pirhonen JP. *See* Vuento MH.
Pitris C. *See* Boppart SA.
Platz-Christensen J. *See* Nielsen S.
Polo O. *See* Virtanen I.
Polo-Kantola P. *See* Virtanen I.
Ponder B. *See* Harris R.
Porteous M. *See* Haslett E.
Porter B. *See* Danielian P.

Poston L. *See* Simpkin JC.
Poulina IEJ. *See* Reuvekamp A.
Poulton L. *See* Chappell L.
Prasad RNV. *See* Singh K.
Pratt G. *See* MacKenzie IZ.
Pringle PJ. *See* Geary M.
Pun T-C. *See* Leung W-C.
Purdie DW. *See* Beardsworth SA.
Purdie DW. *See* Shahtaheri SM.

Quinn MA. *See* Tabrizi SN.

Radici E (the late). *See* Vercellini P.
Radley S, Keighley MRB, Radley SC, Mann CH. Bowel dysfunction following hysterectomy 1120
Radley SC. *See* Radley S.
Radley SC. *See* Rosario DJ.
Rai R. *See* Backos M.
Rajesh V. *See* O'Leary A.
Rameshkumar K. Do gastrointestinal symptoms vary with the menstrual cycle? [letter] 1328
Rane A. Primary repair of obstetric anal sphincter rupture using the overlap technique [letter] 1107
Rastad J. *See* Gottlieb P.
Rath W. *See* Faridi A.
Redman CWE. *See* Howells REJ.
Redman CWG. *See* Magee LA.
Redman CWG. *See* von Dadelszen P.
Regan L. *See* Backos M.
Reuvekamp A, Velsing-Aarts FV, Poulina IEJ, Capello JJ, Duits AJ. Selective deficit of angiogenic growth factors characterises pregnancies complicated by pre-eclampsia 1019
Rezapour M. *See* Ulmsten U.
Ricci E. *See* Chiaffarino F.
Riley SC. *See* Jobanputra J.
Risberg B. *See* Lindgren R.
Roberts A. *See* McCowan LME.
Roberts CL, Taylor L, Henderson-Smart D. Trends in births at and beyond term: evidence of a change? 937
Roberts G. Shoulder dystocia [letter] 610
Robinson A. *See* Brown MA.
Robinson J. *See* Morris EP.
Röckner G, Fianu-Jonasson A. Changed pattern in the use of episiotomy in Sweden 95
Rodeck C. *See* Harris R.
Rodeck CH. *See* Geary M.
Rogerson L, Duffy S. Two-year follow up of women randomised to medical management or transcervical resection of the endometrium for heavy menstrual loss: clinical and quality of life outcomes [letter] 1231
Rom L. *See* Chikosi AB.
Roncaglia N. *See* Locatelli A.
Roos JC. *See* Davies Q.
Rosario DJ, Radley SC, Goepel JR, Chapple CR. Renal infarction following spontaneous renal vein thrombosis in the puerperium 1223
Rosen DMB, Sutton CJG. Use of the potassium tritanyl phosphate (KTP) laser in the treatment of benign multicystic peritoneal mesothelioma 505
Ross D, Whitehead M, Pike B. Development and validation of an objective method of determining skin erythema to transdermal oestradiol patches 279
Ross D. *See* Spencer C.
Rosser S. *See* Sparey C.
Royston P. *See* Kurmanavicius J.
Royston P. *See* Kurmanavicius J.
Rudel D, Pajntar M. Active contractions of the cervix in the latent phase of labour 446
Russell IF. *See* Wahab MA.
Rutherford AJ. *See* Hayden CJ.
Rymer JM. *See* Morris EP.

Saade GR. *See* Belfort MA.
Sacks G. Caesarean section: an evolving procedure? [letter] 750
Saha A. *See* Semple D.
Sahota DS. *See* Kean LH.
Sairam S. *See* Thilaganathan B.
Salmi TA. *See* Vuento MH.
Salvig JD. *See* Højberg K-E.
Sameshima H, Nagaya K. Intracranial haemorrhage as a cause of maternal mortality during 1991–1992 in Japan: a report of the Confidential Inquiry into Maternal Deaths Research Group in Japan 1171
Sandin K. *See* Lindgren R.
Santuz M. *See* Florio P.
Sarker PK. Do routine antibiotics after loop diathermy excision reduce morbidity? [letter] 752
Sasaki H, Oda M, Ohmura M, Akiyama M, Liu C, Tsugane S, Terashima Y, Tanaka T. Follow up of women with simple ovarian cysts detected by transvaginal sonography in the Tokyo metropolitan area 415
Sattar N, Greer I. Insulin sensitivity in pre-eclampsia [letter] 874
Saurel-Cubizolles M-J. *See* Ancel P-Y.
Savilahti E. *See* Kolho K-L.
Schaap AHP. *See* Wolf H.
Schellenberg J-C. *See* North RA.
Schröcksnadel H. *See* Widschwendter M.
Schwärzler P, Carvalho JS, Senat M-V, Masroor T, Campbell S, Ville Y. Screening for fetal aneuploidies and fetal cardiac abnormalities by nuchal translucency thickness measurement at 10–14 weeks of gestation as part of routine antenatal care in an unselected population 1029
Scott JM. *See* Daly SF.
Secher NJ. *See* Højberg K-E.
Sehmi I. *See* Cuckle H.
Selby P. *See* Stead ML.
Selinger M. Caesarean section: an evolving procedure? [letter] 286
Semple D, Saha A, Maresh M. Colposcopy and treatment of cervical intra-epithelial neoplasia: are national standards achievable? 351
Senapati A. *See* Branagan G.
Senat M-V. *See* Schwärzler P.
Serradeil-Le Gal C. *See* Åkerlund M.
Shahtaheri SM, Aaron JE, Johnson DR, Purdie DW. Changes in trabecular bone architecture in women during pregnancy 432
Sharara H. *See* Alsakka M.
Sharif K. *See* Lashen H.
Sharp N. *See* Hodgson DA.
Shaw RW. *See* Blake LL.
Shennan AH. *See* Bell SC.
Shennan AH. *See* Chappell L.
Shepherd A. *See* Jackson S.
Shepherd A. *See* James M.
Shepherd JH. *See* Moskovic EC.
Shepherd JH. *See* Tsahalina E.
Sheu B-C. *See* Lin H-H.
Siakpere O. *See* Cox J.
Sibilia J, Javier R-M, Werle C, Kuntz JL. Fracture of the sacrum in the absence of osteoporosis of pregnancy: a rare skeletal complication of the postpartum 1096
Sikorski J. *See* Clement S.
Simpkin JC, Kermani F, Palmer AM, Campa JS, Tribe RM, Linton EA, Poston L. Effects of corticotrophin releasing hormone on contractile activity of myometrium from pregnant women 439
Singh K, Fong YF, Prasad RNV, Dong F. Vaginal misoprostol for pre-abortion cervical priming: is there an optimal evacuation time interval? 266
Sinha A. A randomised trial of endometrial ablation versus hysterectomy for the treatment of dysfunctional uterine bleeding: outcome at four years [letter] 1002
Sismondi P. *See* Vercellini P.
Sissons G. *See* Sparey C.
Skilling PM. *See* Papa Petros PE.
Slade RJ. *See* Pickersgill A.
Smeeton N. *See* Clement S.
Smith APM. *See* Ong S.

Smith CD. *See* Carlin EM.
Smith GN, Walker MC, McGrath MJ. Randomised, double-blind, placebo controlled pilot study assessing nitroglycerin as a tocolytic 736
Smith NC, Hau C. A six year study of the antenatal detection of fetal abnormality in six Scottish health boards 206
Smith PA. *See* Tahir MM.
Smith R. *See* Leung TN.
Smith SC, Baker PN. Placental apoptosis is increased in post-term pregnancies 861
Smolders-de Haas H. *See* Wolf H.
Snowden S. *See* Clayton RD.
Somerville J. *See* Mayet J.
Soothill PW. *See* Carroll SGM.
Sopwith M. *See* Davies Q.
Souter VL. *See* Zosmer N.
Sparey C, Sissons G, Haddad N, Rosser S, de Cossart L. Serial colour flow duplex scanning of the veins of the lower limb throughout pregnancy 557
Spencer C, Crook D, Ross D, Cooper A, Whitehead M, Stevenson J. A randomised comparison of the effects of oral versus transdermal 17β-oestradiol, each combined with sequential oral norethisterone acetate, on serum lipoprotein levels 948
Spencer C. Screening for endometrial cancer in asymptomatic postmenopausal women with conventional and colour Doppler sonography [letter] 612
Spencer CP, Whitehead MI. Endometrial assessment re-visited 623
Spencer JAD. *See* Frudinger A.
Spencer JAD. *See* Lakasing L.
Spencer K. Second trimester prenatal screening for Down's syndrome using alpha-fetoprotein and free beta hCG: a seven year review 1287
Spina V. *See* Bagolan P.
Spitz B. *See* Amant F.
Spitz L. *See* Murshed R.
Stanton S. *See* Gorton E.
Stanton SL. *See* Chaliha C.
Stanton SL. *See* Jermy KV.
Stanton SL. *See* Sultan AH.
Stead ML, Crocombe WD, Fallowfield LJ, Selby P, Perren TJ, Garry R, Brown JM. Sexual activity questionnaires in clinical trials: acceptability to patients with gynaecological disorders 50
Steer PJ. The definition of pre-eclampsia 753
Steins A. *See* Büchtemann AS.
Steinwall M. *See* Åkerlund M.
Stenman U-H. *See* Laivuori H.
Stepan H, Faber R, Walther T. Expression of low density lipoprotein receptor messenger ribonucleic acid in placentas from pregnancies with preterm delivery and pregnancies with intrauterine growth retardation 1221
Stevenson J. *See* Spencer C.
Stewart A. *See* McCowan LME.
Stewart M. Place of birth and shoulder dystocia [letter] 1332
Stoll BA. New metabolic-endocrine risk markers in endometrial cancer 402
Studd J. *See* Khastgir G.
Studd JWW. *See* Ogueh O.
Stutz JA, Wilkinson SA. Psoas abscess: an unusual complication of an intrauterine contraceptive device 177
Styles P. *See* Magee LA.
Su Y-N. *See* Cheng W-F.
Sullivan M. *See* Elder MG.
Sultan AH, Monga AK, Kumar D, Stanton SL. Primary repair of obstetric anal sphincter rupture using the overlap technique 318
Sultan AH. *See* Johanson RB.
Summers J. *See* Danielian P.
Surace M. *See* Chiaffarino F.
Surbek DV, Glanzmann R, Holzgreve W. Pregnancy and homozygous beta thalassemia major [letter] 87
Sutton CJG. *See* Rosen DMB.
Suwanrath C. *See* Kean LH.
Symonds EM. *See* Davies Q.
Symonds IM. *See* Arulkumaran S.
Székács B. *See* Acs N.

Tabrizi SN, Fairley CK, Chen S, Borg AJ, Baghurst P, Quinn MA, Garland SM. Epidemiological characteristics of women with high grade CIN who do and do not have human papillomavirus 252
Tahir MM, Bigrigg MA, Browning JJ, Brookes ST, Smith PA. A randomised controlled trial comparing transvaginal ultrasound, outpatient hysteroscopy and endometrial biopsy with inpatient hysteroscopy and curettage 1259
Tahvanainen KUO. *See* Vesalainen RK.
Tailor A, Jurkovic D, Bourne TH, Collins WP, Campbell S. Sonographic prediction of malignancy in adnexal masses using an artificial neural network 21
Takahashi M, Kushida K, Hoshino H, Ohishi T, Inoue T. Biochemical markers of bone turnover do not decline after menopause in healthy women 427
Takakura K. *See* Akiyama M.
Tam WH. *See* Lau WC.
Tan L-K, Tay S-K. Two dosing regimens for preinduction cervical priming with intravaginal dinoprostone pessary: a randomised clinical trial 907
Tanaka T. *See* Sasaki H.
Tandon S. *See* Nwosu EC.
Tansey S. *See* Alfirevic Z.
Tay S-K. *See* Tan L-K.
Taylor DJ. *See* Bell SC.
Taylor DJ. *See* Halligan AWF.
Taylor L. *See* Roberts CL.
Taylor RS. *See* North RA.
Teale G, Etherington I, Luesley D, Jordan J. An audit of standards and quality in a teaching hospital colposcopy clinic 83
Tejura H. *See* O'Leary A.
Templeton A. *See* Ashok PW.
Templeton A. *See* Danielian P.
Terashima Y. *See* Sasaki H.
Thilaganathan B, Olawaiye A, Sairam S, Harrington K. Isolated fetal echogenic intracardiac foci or golf balls: is karyotyping for Down's syndrome indicated? 1294
Thomas JM. *See* Moskovic EC.
Thomas RM. *See* Fortune P-M.
Thompson C, Mahmood TA, Urquhart DR, Hill MG. A randomised comparison of strategies for reducing infective complications of induced abortion [letter] 287
Thompson JW. *See* Wahab MA.
Thompson MO. *See* Harrington K.
Thorne C. *See* Newell M-L.
Thornton JG, Macdonald AM. Twin mothers, pregnancy hypertension and pre-eclampsia 570
Thornton S. *See* Patient C.
Thorpe-Beeson G. *See* Mayet J.
Tidy J. *See* Barik S.
Tiitinen A. *See* Kolho K-L.
Timmerman D. *See* Amant F.
Toozs-Hobson P. *See* Boos K.
Topp M. *See* Krebs L.
Traoré S. *See* Etard J-F.
Treasure J. *See* Boos K.
Treffers PE. *See* Wolf H.
Tribe RM. *See* Simpkin JC.
Trott PA. *See* Moskovic EC.
Trowitzsch E. *See* van Leeuwen P.
Trucchi A. *See* Bagolan P.
Tsahalina E, Woolas RP, Carter PG, Chan F, Gore ME, Blake PM, Shepherd JH, Barton DPJ. Gastrostomy tubes in patients with recurrent gynaecological cancer and intestinal obstruction 964
Tsugane S. *See* Sasaki H.
Tulppala M. *See* Kolho K-L.
Tunkel SA. *See* Nikcevic AV.
Tunna K. *See* Mohanna K.
Turpeinen U. *See* Laivuori H.

Tyrkkö JE (the late). *See* Vuento MH.

Ulmsten U, Johnson P, Rezapour M. A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence 345
Unkila-Kallio L. *See* Kolho K-L.
Upadhyay N, Buist R. Caesarean section: an evolving procedure? [letter] 286
Urquhart DR. *See* Thompson C.
Urquhart J. *See* Haslett E.

Van Assche FA. *See* Amant F.
Van De Putte I, Campo R, Gordts S, Brosens I. Uterine rupture following laparoscopic resection of rectovaginal endometriosis: a new risk factor? 608
van der Meulen JHP, Mol BWJ, Pajkrt E, van Lith JMM, Voorn W. Use of the disutility ratio in prenatal screening for Down's syndrome 108
van Ertbruggen I. *See* Wolf H.
van Geijn HP. *See* Marieke Paarlberg K.
van Gemert MJC. *See* Hecher K.
van Kanten RW. *See* Mungra A.
van Leeuwen P, Hailer B, Bader W, Geissler J, Trowitzsch E, Grönemeyer DHW. Magnetocardiography in the diagnosis of fetal arrhythmia 1200
van Lith JMM. *See* van der Meulen JHP.
van Loon AJ. *See* Weinans MJN.
van Roosmalen J. *See* Mungra A.
Várbíró S. *See* Acs N.
Vause S, Maresh M. Indicators of quality of antenatal care: a pilot study 197
Velsing-Aarts FV. *See* Reuvekamp A.
Vercellini P, Crosignani PG, Fadini R, Radici E (the late), Belloni C, Sismondi P. A gonadotrophin-releasing hormone agonist compared with expectant management after conservative surgery for symptomatic endometriosis 672
Vergani P. *See* Locatelli A.
Verheijen RHM. *See* Davies Q.
Vermeulen GM, Bruinse HW. Prophylactic administration of clindamycin 2% vaginal cream to reduce the incidence of spontaneous preterm birth in women with an increased recurrence risk: a randomised placebo-controlled double-blind trial 652
Versi E. *See* Klein P.
Verspyck E, Goffinet F, Hellot MF, Milliez J, Marpeau L. Newborn shoulder width: a prospective study of 2222 consecutive measurements 589
Vesalainen RK, Ekholm EMK, Jartti TT, Tahvanainen KUO, Kaila TJ, Erkkola RU. Effects of tocolytic treatment with ritodrine on cardiovascular autonomic regulation 238
Vessey MP. *See* Zondervan KT.
Vessey MP. *See* Zondervan KT.
Villar J. *See* Lumbiganon P.
Ville Y. *See* Baud O.
Ville Y. *See* Schwärzler P.
Vingerhoets AJJM. *See* Marieke Paarlberg K.
Virtanen I, Polo-Kantola P, Erkkola R, Polo O, Ekholm E. Climacteric vasomotor symptoms do not imply autonomic dysfunction 155
Volkert B. *See* Büchtemann AS.
von Dadelszen P, Wilkins T, Redman CWG. Maternal peripheral blood leukocytes in normal and pre-eclamptic pregnancies 576
Voorn W. *See* van der Meulen JHP.
Vuento MH, Pirhonen JP, Mäkinen JI, Tyrkkö JE (the late), Laippala PJ, Grönroos M, Salmi TA. Screening for endometrial cancer in asymptomatic postmenopausal women with conventional and colour Doppler sonography 14

Wackerhausen S. What is natural? Deciding what to do and not to do in medicine and health care 1109
Wadehra V. *See* Milne DS.
Wagstaff TI. *See* Milne DS.
Wahab MA, Karantzis P, Eccersley PS, Russell IF, Thompson JW, Lindow SW. A randomised, controlled study of uterine exteriorisation and repair at caesarean section 913
Wald NJ, White N, Morris JK, Huttly WJ, Canick JA. Serum markers for Down's syndrome in women who have had *in vitro* fertilisation: implications for antenatal screening 1304
Walker ID. *See* McColl MD.
Walker J. *See* Jolly J.
Walker JJ. *See* Fairlie FM.
Walker MC. *See* Smith GN.
Walklate K. *See* Johanson RB.
Wallace EM, Mulvey S. Calculating correct Down's syndrome risks [letter] 1001
Wallace WHB. *See* Bath LE.
Wallin G, Fall O. Modified Joel-Cohen technique for caesarean delivery 221
Wallin G. *See* Mårtensson L.
Walther T. *See* Stepan H.
Watson AJS, Currie I, Jarvis GJ. A prospective placebo controlled double blind randomised study to investigate the use of indoramin to prevent post-operative voiding disorders after surgical treatment for genuine stress incontinence 270
Wei L-H. *See* Cheng W-F.
Weinans MJN, van Loon AJ. A diagnosis of lymphangioleiomyomatosis in a pregnant woman presenting with a retroperitoneal mass 747
Weir DG. *See* Daly SF.
Wellings RP. *See* Crocker IP.
Werle C. *See* Sibilia J.
Westgate JA, Bennet L, Gunn AJ. Fetal heart rate variability changes during brief repeated umbilical cord occlusion in near term fetal sheep 664
Westgate JA, Gunn AJ, Gunn TR (the late). Antecedents of neonatal encephalopathy with fetal acidaemia at term 774
Weston MJ. *See* Clayton RD.
White N. *See* Wald NJ.
Whitehead M. *See* Ross D.
Whitehead M. *See* Spencer C.
Whitehead MI. *See* Spencer CP.
Whitlow BJ, Chatzipapas IK, Lazanakis ML, Kadir RA, Economides DL. The value of sonography in early pregnancy for the detection of fetal abnormalities in an unselected population 929
Whitlow BJ. *See* Economides DL.
Whittaker M. *See* Hawe JA.
Widschwendter M, Meduri G, Loosfelt H, Schröcksnadel H, Hittmair A, Müller-Holzner E, Zeimet AG. Fulminant recurrence of a Sertoli-Leydig cell tumour during pregnancy 284
Wilkins T. *See* von Dadelszen P.
Wilkinson AR. *See* Huddy CLJ.
Wilkinson N. *See* Clayton RD.
Wilkinson P. *See* Adeniji AA.
Wilkinson SA. *See* Stutz JA.
Williamson P. *See* Harris R.
Willson K. *See* Crowther CA.
Wilshin J. *See* Geary M.
Wilson J. *See* Clement S.
Wilson POG. *See* Morris EP.
Winsløw NA. *See* Højberg K-E.
Wisser J. *See* Kurmanavicius J.
Wisser J. *See* Kurmanavicius J.
Wolf H, Schaap AHP, Bruinse HW, Smolders-de Haas H, van Ertbruggen I, Treffers PE. Vaginal delivery compared with caesarean section in early preterm breech delivery: a comparison of long term outcome 486
Wong W-M. *See* Leung W-C.
Woolas RP. *See* Branagan G.
Woolas RP. *See* Tsahalina E.
Wright EM. *See* Kurmanavicius J.
Wright EM. *See* Kurmanavicius J.

Yamasaki H. *See* Yoshimitsu N.
Yates Z. *See* Cunningham J.
Ylikorkala O. *See* Laivuori H.
Yoshimitsu N, Douchi T, Yamasaki H, Nagata Y, Andoh T, Hatano H.

Differences in umbilical cord serum lipid levels with mode of delivery 144
Young G. *See* Johnston TA.
Young J. *See* Junor EJ.
Yudkin PL. *See* Zondervan KT.
Yudkin PL. *See* Zondervan KT.
Yuen PM. *See* Lau WC.

Zeimet AG. *See* Widschwendter M.
Zetterström JP, López A, Anzén B, Dolk A, Norman M, Mellgren A. Anal incontinence after vaginal delivery: a prospective study in primiparous women 324
Zimmermann R. *See* Kurmanavicius J.
Zimmermann R. *See* Kurmanavicius J.
Zondervan KT, Yudkin PL, Vessey MP, Dawes MG, Barlow DH, Kennedy SH. Prevalence and incidence of chronic pelvic pain in primary care: evidence from a national general practice database 1149
Zondervan KT, Yudkin PL, Vessey MP, Dawes MG, Barlow DH, Kennedy SH. Patterns of diagnosis and referral in women consulting for chronic pelvic pain in UK primary care 1156
Zosmer N, Souter VL, Chan CSY, Huggon IC, Nicolaides KH. Early diagnosis of major cardiac defects in chromosomally normal fetuses with increased nuchal translucency 829
Zupan V. *See* Baud O.

Subject Index

Abortion, 2
  comparison of vaginal misoprostol and gemeprost as pre-treatment in first trimester pregnancy interruption, 540
  induced, randomised comparison of strategies for reducing infective complications, 287
  medical termination of pregnancy at 63 to 83 days gestation, 535
  nonsurgical mid-trimester, review of 500 consecutive cases, 706
  third trimester
    is compassion enough, 293, 1329
    reasons for termination of pregnancy, 297
  vaginal misoprostol for pre-abortion cervical priming, is there an optimal evacuation time interval, 266
  see also Miscarriage
Activin A
  and parturition, changes of maternal and cord serum levels according to mode of delivery, 1061
  serum activin A and inhibin A elevated in pre-eclampsia, no relation to insulin sensitivity, 1298
Alpha fetoprotein, second trimester prenatal screening for Down's syndrome using alpha-fetoprotein and free beta hCG, seven year review, 1287
Amniotic fluid, concentrations of interleukin 1β, interleukin-6 and TNF-α in chorioamnionitis before 32 weeks gestation, histological associations and neonatal outcome, 72
Amniotic membrane
  association between myofibroblast differentiation and parturition, 1322
  cyclooxygenase-2 dependent production of PGE2 mediates production of latent MMP-9 in, 1324
  sweeping of membranes to prevent post-term pregnancy and to induce labour, systematic review, 481
Anaesthesia, paracervical, in outpatient hysteroscopy, randomised double-blind placebo-controlled trial, 356
Anal anatomy, changes following vaginal delivery revealed by anal endosonography, 233
Analgesia
  epidural *see* Epidural analgesia
  intramuscular opioids for maternal pain relief in labour, randomised controlled trial comparing pethidine with diamorphine, 1181
  labour pain treated with cutaneous injections of sterile water, randomised controlled trial, 633
Anal incontinence, after vaginal delivery, prospective study in primiparous women, 324, 1007
Anal sphincter, primary repair of obstetric rupture using overlap technique, 318, 1107
Angiotensinogen, gene allele sharing, maternal and fetal in pre-eclampsia, 244
Anorexia nervosa, lower urinary tract symptoms and their impact on women with, 501
Antenatal care
  does reducing frequency of routine antenatal visits have long term effects, follow up of participants in randomised control trial, 367
  indicators of quality, a pilot study, 197
  intrinsic duodenal obstruction, trends in management and outcome over 45 years (1951–1995) with relevance to prenatal counselling, 1197
  routine antenatal Rhesus D immunoglobulin prophylaxis, results of prospective 10 year study, 492
  screening for fetal aneuploidies and cardiac abnormalities by nuchal translucency thickness measurement at 10–14 weeks of gestation as part of routine antenatal care in unselected population, 1029
  two trials of antenatal thyrotrophin-releasing hormone for fetal maturation, stopping before due date, 898
Antenatal screening
  Down's syndrome
    second trimester prenatal screening using alpha-fetoprotein and free beta hCG, seven year review, 1287
    serum markers in women who have had *in vitro* fertilisation, implications for, 1304
    use of disutility ratio in, 108
    value of screening in socioeconomically deprived area with high ethnic population, 87
  fetal abnormality, six year study of detection in six Scottish health boards, 206
  hepatitis B infection and syphilis in the UK, 66
Antiphospholipid antibodies, pregnancy complications in women with recurrent miscarriage associated with antiphospholipid antibodies treated with low dose aspirin and heparin, 102
Antiphospholipid syndrome, is serum embryopathic, 1323
Aortic dissection, and triplets, treble the trouble, 601
Aspirin
  low-dose, administration to mothers with small for gestational age fetuses and abnormal umbilical Doppler studies to increase birthweight, randomised double-blind controlled trial, 647
  pregnancy complications in women with recurrent miscarriage associated with antiphospholipid antibodies treated with low dose aspirin and heparin, 102
  randomised trial of low dose aspirin for primiparae in pregnancy (Golding)/Barbados low dose aspirin study in pregnancy (BLASP), 180
Audit
  management of cervical cancer in South West of England, closing audit loop, 384
  menorrhagia management in primary care in East Anglia, Anglia menorrhagia education study, 1103
  prospective regional
    management of endometrial cancer in South and West of England, 384
    management of ovarian cancer in South and West of England, 384
    management of vulval cancer in South and West of England, 385
  regional gynaecological cancer, South West of England experience, 384
  of standards and quality in a teaching hospital colposcopy clinic, 83
Autoimmune thrombocytopenic purpura, splenectomy during pregnancy as option in treatment of, 373, 1331

Benign multicystic peritoneal mesothelioma, potassium titanyl phosphate laser in treatment of, 505
Birthweight
  administration of low-dose aspirin to mothers with small for gestational age fetuses and abnormal umbilical Doppler studies to increase birthweight, randomised double-blind controlled trial, 647
  low, psychosocial predictors of, prospective study, 834
  see also Fetus, intrauterine growth retardation
Bladder
  open study of bladder neck support prosthesis in genuine stress incontinence, 42
  see also Urinary tract
Blair Bell Research Society Abstracts, 1100, 1321
Bleeding disorders, inherited, in obstetrics and gynaecology, 5, 53
Blue rubber bleb naevus syndrome, pregnancy and, 1316
Bone
  biochemical markers of bone turnover do not decline after menopause in healthy women, 427
  changes in trabecular bone architecture in women during pregnancy, 432
  fracture of sacrum in absence of osteoporosis of pregnancy, rate skeletal complication of the postpartum, 1096
  mineral density
    breast cancer and HRT, 1324
    postpartum following antenatal dexamethasone therapy, 1093
  prevention of postmenopausal bone loss at lumbar spine and upper femur with tibolone, two-year randomised controlled trial, 678

Brachytherapy, Clatterbridge experience of post-operative external radiotherapy and brachytherapy in management of, 994
Breast cancer
bone mineral density and HRT, 1324
hormonal prevention, proposal for change in paradigm, 1006
British Gynaecological Cancer Society abstracts, 379, 992

Caesarean section
evolving procedure, 286, 750
for failure of second stage of labour, vaginal delivery after previous, 749
investigation of women's involvement in decision to delivery by, 213
modified Joel-Cohen technique for caesarean delivery, 221, 1329
randomised controlled study of uterine exteriorisation and repair at, 913
utility of clinical tests of eligibility for trial of labour following, decision analysis, 642
vaginal delivery compared with caesarean section in early preterm breech delivery, comparison of long term outcome, 496
Cancer
adrenal cortical carcinoma, chorionic gonadotrophin-secreting, mimicking of malignant trophoblastic disease, 989
cervix
angiogenesis and expression of angiogenic growth factor PD-ECGF in, 393
cervical intraepithelial glandular neoplasia (CIGN), microinvasive and invasive adenocarcinoma of the uterine cervix, a study of 121 cases, 381
cervical T cell dysfunction may predispose to cervical neoplasia in HIV-infected women, 391
colposcopy and treatment of cervical intra-epithelial neoplasia, are national standards achievable, 351
early invasive, possible use of colour flow Doppler in planning treatment, 1137
epidemiological characteristics of women with high grade CIN who do and do not have human papillomavirus, 252
interleukin 4, interleukin 13, oestrogen and progesterone upregulate expression of CD44 in human cervical adenocarcinoma cell lines, 995
investigation into prevalence of CIN in women with systemic lupus erythematosus, 382
is colposcopic follow up necessary after LLETZ, 387
management of cervical cancer in South West of England, closing audit loop, 384
p53 codon 72 polymorphism and risk in UK Caucasians, 396
recurrence after LLETZ and laser ablation, 395
role of p53 polymorphisms and haplotypes in relation to human papillomavirus subtype and cervical intraepithelial neoplasia, 392
stage I and IIa, endovaginal magnetic resonance imaging in preoperative assessment of, 381
study of follow up patterns of women treated for CIN 2 and 3 before and after introduction of 1992 Guidelines, 1126
vaccinia recombinant immunotherapy in patients with cervical intraepithelial neoplasia 3 (CIN 3), 381
why do we miss, 395
childhood, reproductive system after, 511
endometrium
Clatterbridge experience of post-operative external radiotherapy and brachytherapy in management of, 994
comparison of magnetic resonance imaging and transvaginal ultrasound in assessment of myometrial invasion, 393
frequency and prognostic impact of microsatellite instability in, 997
molecular analysis of clonal origin of, 389
multicentre randomised controlled trial of adjuvant therapy in high risk endometrial carcinoma comparing medroxyprogesterone acetate and radiotherapy, 386
new metabolic-endocrine risk markers in, 402, 1001
prospective regional audit of management in South and West of England, 384
screening for in asymptomatic postmenopausal women with conventional and colour Doppler sonography, 14, 612, 1229
telomerase activity in pipelle aspirate biopsies from benign and malignant postmenopausal endometrium, 996
typing and grading in curettage specimens, 394
fallopian tube, comparison of national cancer registry and direct follow up in ascertainment of, 390
gynaecological
impact on patient's and partner's marital and sexual relationships, 994
percutaneous IVC filters for thromboembolic disease associated with, 393
ovary
activation of CD40 in epithelial cells induces cyclin D1 expression, cdk activity and perioperative ultrasonography of lymph nodes in patients with gynaecological malignancy, 410, 1331
perioperative ultrasonography of lymph nodes in patients with, 410, 1331
hyperphosphorylation of pRb, role in epithelial ovarian carcinoma, 390
advanced, high dose consolidation therapy with peripheral blood stem cell support as initial treatment for, 382
can flexible sigmoidoscopy predict need for colorectal surgery in, 380
CMB-401, new agent for immunotherapy of epithelial ovarian cancer, immune response and pharmacokinetics, 996
comparison of national cancer registry and direct follow up in ascertainment of, 390
comparison of two malignancy risk indices based on serum CA125, ultrasound score and menopausal status in diagnosis of ovarian masses, 524
cytokine messenger RNA analysis by RT-PCR in normal ovary and ovarian tumours, 385
cytological assessment of ovarian epithelium, 389
detection of ovarian epithelial tumour DNA from peritoneal fluid and serum, 383
differences between BRCA1 and 2 positive ovarian cancers and sporadic cancers demonstrated by comparative genomic hybridisation, 995
expression of E-cadherin and associated catenins in ovarian epithelial tumours, 385
first impressions of hybrid positron emission tomography for identification and monitoring of, 391
genetic, physical and transcript mapping of minimal region of allele loss at 6q27 in, 396
high resolution imaging with optical coherence tomography, feasibility for laparoscopic-based imaging, 1071
H-Ryk receptor expression in blood vessels is new prognostic factor, 390
immunoscintigraphic evaluation of engineered human monoclonal antibody for use in treatment of, 31
molecular analysis of clonal origin of, 389
molecular detection of tumour DNA in serum and peritoneal fluid from ovarian cancer patients, 993
multiparameter approach to diagnosis, 382
neural networks in diagnosis of, 1078
P53 expression in, association with glutathione s-transferase GSTM1 and GSTT1 genotypes and survival, 997
P53 and related proteins in, 998
performance of screening tests for, results of systematic review, 1107
phase 1 study of Hycamtin following Paclitaxel and Carboplatin in first line therapy, 998
phase I study of ascending doses of cytotoxic immunoconjugate CMB-401 in patients with, 391
prospective regional audit of management in South and West of England, 384
Sertoli-Leydig cell tumour, fulminant recurrence during pregnancy, 284
specialist gynaecologists and survival outcome in, Scottish national study of 1866 patients, 1130

Streptococcus milleri infection mimicking, 745
telomerase activity in benign, malignant and normal ovarial tissue from postmenopausal women, 392
recurrent, with intestinal obstruction, gastrostomy tubes in patients with, 964
sonographic prediction of malignancy in adnexal masses using an artificial neural network, 21
squamous cell, angiogenesis and expression of angiogenic growth factor PD-ECGF in, 393
use of neural network in predicting malignancy and suitability for minimal access approach, 388
vagina
conservative anterior exenteration with preservation of fertility potential and continent urinary diversion, 386
primary invasive, therapeutic and prognostic considerations, 390
retrospective review of characteristics, treatment and follow up of patients presenting with vaginal intra-epithelial neoplasia, 995
vulva
comparison of pre-operative assessment using CT scanning or ultrasonography with fine needle aspiration, 999
computerised nuclear morphometry for prediction of groin lymph node metastases in squamous cell carcinoma, 388
epidemiological study of role of pre-existing skin abnormalities and p53 expression in, 379
femoral vessel depth in, impact on adjuvant therapy, 998
groin node status by ultrasound in, 999
insights into process of from loss of heterozygosity analysis, 994
prospective regional audit of management in South and West of England, 385
role of high resolution ultrasound with guided cytology of groin lymph nodes in management of, pilot study, 863
sentinel node detection in, multicentre study, 380
Carboplatin, phase 1 study of Hycamtin following Paclitaxel and Carboplatin in first line therapy, 998
Cardiotocogram, inconsistencies in classification by experts of, and subsequent clinical decision, 1307
Cavaterm thermal balloon ablation, for treatment of menorrhagia, 1143
Cerebral palsy, relation of breech presentation at term to, 943
Cervix
active contractions in latent phase of labour, 446
cancer
angiogenesis and expression of angiogenic growth factor PD-ECGF in, 393
cervical intraepithelial glandular neoplasia (CIGN), microinvasive and invasive adenocarcinoma of the uterine cervix, a study of 121 cases, 381
cervical T cell dysfunction may predispose to cervical neoplasia in HIV-infected women, 391
colposcopy and treatment of cervical intra-epithelial neoplasia, are national standards achievable, 351
early invasive, possible use of colour flow Doppler in planning treatment, 1137
epidemiological characteristics of women with high grade CIN who do and do not have human papillomavirus, 252
interleukin 4, interleukin 13, oestrogen and progesterone upregulate expression of CD44 in human cervical adenocarcinoma cell lines, 995
investigation into prevalence of CIN in women with systemic lupus erythematosus, 382
is colposcopic follow up necessary after LLETZ, 387
management of cervical cancer in South West of England, closing audit loop, 384
p53 codon 72 polymorphism and risk in UK Caucasians, 396
recurrence after LLETZ and laser ablation, 395
role of p53 polymorphisms and haplotypes in relation to human papillomavirus subtype and cervical intraepithelial neoplasia, 392
stage I and IIa, endovaginal magnetic resonance imaging in preoperative assessment of, 381
study of follow up patterns of women treated for CIN 2 and 3 before and after introduction of 1992 Guidelines, 1126
vaccinia recombinant immunotherapy in patients with cervical intraepithelial neoplasia 3 (CIN 3), 381
why do we miss, 395
colposcopy
audit of standards and quality in teaching hospital colposcopy clinic, 83
histologic and immunologic associations of HPV16 variant in low-grade smears, 1102
is provision of information leaflets beneficial, prospective randomised study, 528
prospective follow-up study of women with colposcopically unconfirmed positive cervical smears, 38, 1232
and treatment of cervical intra-epithelial neoplasia, are national standards achievable, 351
women and, anxiety and nonattendance, 395
dyskaryosis, human papillomavirus type 16 and 18 detection in management of, 969
pre-abortion priming, vaginal misoprostol for, is there an optimal evacuation time interval, 266
preinduction priming with intravaginal dinoprostone pessary, randomised clinical trial, 907
relationship of serum levels of endogenous relaxin to cervical size in second trimester and to cervical ripening at term, 917
Chromosome abnormalities
comparison of prophylactic oophorectomy specimens from carriers and noncarriers of BRCA gene mutation, 389
screening for fetal aneuploidies and cardiac abnormalities by nuchal translucency thickness measurement at 10–14 weeks of gestation as part of routine antenatal care in unselected population, 1029
see also Down's syndrome
Chronic demyelinating polyneuropathy, in pregnancy treated with intravenous immunoglobulin, 174
Clindamycin, prophylactic administration of vaginal cream to reduce incidence of spontaneous preterm birth in women with increased recurrence risk, randomised placebo-controlled double-blind trial, 652
Clinical trials
administration of low-dose aspirin to mothers with small for gestational age fetuses and abnormal umbilical Doppler studies to increase birthweight, randomised double-blind controlled trial, 647
does reducing frequency of routine antenatal visits have long term effects, follow up of participants in randomised control trial, 367
effect of indomethacin tocolysis in preterm labour on perinatal outcome, randomised placebo-controlled trial, 467
effect of oestrogen supplementation on post-menopausal urinary stress incontinence, double-blind placebo-controlled trial, 711
intramuscular opioids for maternal pain relief in labour, randomised controlled trial comparing pethidine with diamorphine, 1181
intrauterine growth retardation, controlled trial of fundal height measurement plotted on customised antenatal growth charts, 309
is provision of information leaflets before colposcopy beneficial, prospective randomised study, 528
is ultrasound assessment of gestational age at first antenatal visit of value, randomised clinical trial, 1273
labour pain treated with cutaneous injections of sterile water, randomised controlled trial, 633
microwave endometrial ablation, development, clinical trials and outcomes at three years, 684
misoprostol compared with methylergometrine for prevention of postpartum haemorrhage, double-blind randomised trial, 1066
multicentre randomised controlled trial of adjuvant therapy in high risk endometrial carcinoma comparing medroxyprogesterone acetate and radiotherapy, 386
paracervical anaesthesia in outpatient hysteroscopy, randomised double-blind placebo-controlled trial, 356
prevention of postmenopausal bone loss at lumbar spine and upper femur with tibolone, two-year randomised controlled trial, 678
prophylactic administration of clindamycin 2% vaginal cream to reduce incidence of spontaneous preterm birth in women with increased recurrence risk, randomised placebo-controlled double-blind trial, 652
prospective placebo controlled double blind randomised study to

investigate the use of indoramin to prevent post-operative voiding disorders after surgical treatment for genuine stress incontinence, 270
randomised comparative trial of the levonorgestrel intrauterine system and norethisterone for treatment of idiopathic menorrhagia, 512
randomised controlled study of uterine exteriorisation and repair at caesarean section, 913
randomised controlled trial of intravenous magnesium sulphate versus placebo in management of women with severe pre-eclampsia, 289
randomised, double-blind, placebo controlled pilot study assessing nitroglycerin as tocolytic, 736
randomised trial comparing expectant with medical management for first trimester miscarriages, 804
randomised trial comparing upright and supine positions for second stage of labour, 291
randomised trial of endometrial ablation *versus* hysterectomy for treatment of dysfunctional uterine bleeding, outcome at four years, 360, 876, 1002
randomised trial of low dose aspirin for primiparae in pregnancy (Golding)/Barbados low dose aspirin study in pregnancy (BLASP), 180
randomised trials in maternal and perinatal medicine, global partnerships are the way forward, 875
routine antenatal Rhesus D immunoglobulin prophylaxis, results of prospective 10 year study, 492
sexual activity questionnaires in clinical trials, acceptability to patients with gynaecological disorders, 50
three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence, 345
treatment with gonadotrophin releasing hormone agonist before hysterectomy for leiomyomas, results of multicentre, randomised controlled trial, 751
two dosing regimens for preinduction cervical priming with intravaginal dinoprostone pessary, randomised clinical trial, 907
two trials of antenatal thyrotrophin-releasing hormone for fetal maturation, stopping before due date, 898
withholding consent to participate in clinical trials, decisions of pregnant women, 892
see also Population studies
Coeliac disease, screening for in women with history of recurrent miscarriage or infertility, 171
Colposcopy *see* Cervix
Colposuspension, after previous failed incontinence surgery, prospective observational study, 340
Computed tomography
comparison of pre-operative assessment of vulvar cancer using CT scanning or ultrasonography with fine needle aspiration, 999
guided peritoneal core biopsies, useful diagnostic tool, 383
Contraception
intrauterine contraceptive device, psoas abscess as unusual complication of, 177
oral contraceptives
and risk of endometriosis, 695
and uterine fibroids, results from case-control study, 857
Corticosteroids, antenatal, are we prescribing multiple courses, survey of practice in UK, 977
Corticotrophin releasing hormone
effects on contractile activity of myometrium from pregnant women, 439
elevated mid-trimester maternal levels in pregnancies delivered before 34 weeks, 1041
Cyclooxygenase
cyclooxygenase-2 dependent production of PGE2 mediates production of latent MMP-9 in human fetal membranes, 1324
inhibitors, histamine mediated endothelium dependent relaxation of myometrial resistance arteries is decreased in pregnancy and independent of, 1105

Defensins, quantification of mucosal production of human β-defensins 1 and 2 at different levels of female genital tract, 1104
Dexamethasone
postpartum bone mineral density following antenatal therapy, 1093
temporal changes in fetal cardiovascular, behavioural, metabolic and endocrine responses to maternally administered dexamethasone in late gestation fetal sheep, 331
Diamorphine, intramuscular opioids for maternal pain relief in labour, randomised controlled trial comparing pethidine with diamorphine, 1181
Dinoprostone
pessary, two dosing regimens for preinduction cervical priming, randomised clinical trial, 907
vaginal gel, misoprostol more effective for induction of labour at term, 793
Down's syndrome
calculating correct risks, 371, 1001
isolated fetal echogenic intracardiac foci or golf balls, is karyotyping indicated, 1294
second trimester prenatal screening using alpha-fetoprotein and free beta hCG, seven year review, 1287
serum markers in women who have had *in vitro* fertilisation, implications for antenatal screening, 1304
use of disutility ratio in prenatal screening for, 108
value of screening in socioeconomically deprived area with high ethnic population, 87

E-cadherin, expression of E-cadherin and associated catenins in ovarian epithelial tumours, 385
Endometriosis
could tight garments cause, 1003
gonadotrophin-releasing hormone agonist compared with expectant management after conservative surgery for, 672
high resolution imaging with optical coherence tomography, feasibility for laparoscopic-based imaging, 1071
inhibition of gonadotrophin-dependent steroidogenesis by endothelin-1 in human preovulatory granulosa cells, possible mechanism to explain observed follicular dysfunction in, 1100
recurrent pain after hysterectomy and bilateral salpingo-oophorectomy for, evaluation of laparoscopic excision of residual endometriosis, 740
risk of, and oral contraceptive use, 695
uterine rupture following laparoscopic resection of rectovaginal endometriosis, new risk factor, 608
see also Endometrium
Endometrium
ablation
microwave, development, clinical trials and outcomes at three years, 684
randomised trial *versus* hysterectomy for treatment of dysfunctional uterine bleeding, outcome at four years, 360, 876, 1002
cancer
Clatterbridge experience of post-operative external radiotherapy and brachytherapy in management of, 994
comparison of magnetic resonance imaging and transvaginal ultrasound in assessment of myometrial invasion, 393
frequency and prognostic impact of microsatellite instability in, 997
molecular analysis of clonal origin of, 389
multicentre randomised controlled trial of adjuvant therapy in high risk endometrial carcinoma comparing medroxyprogesterone acetate and radiotherapy, 386
new metabolic-endocrine risk markers in, 402, 1001
prospective regional audit of management in South and West of England, 384
screening for in asymptomatic postmenopausal women with conventional and colour Doppler sonography, 14, 612, 1229
telomerase activity in pipelle aspirate biopsies from benign and malignant postmenopausal endometrium, 996
typing and grading in curettage specimens, 394
disseminated leiomyomatosis peritonealis and severe atypical endometrial hyperplasia in assocation with ovarian fibrothecoma and elevated serum oestrogen levels, 394

expression of macrophage inflammatory protein-1α in, throughout menstrual cycle, 725
histology and transvaginal ultrasonography in peri- and postmenopausal women on hormone replacement therapy, 421
national survey of complications of endometrial destruction for menstrual disorders, MISTLETOE study, 1329
polyps, tamoxifen-exposed, molecular markers in, 997
reassessment re-visited, 623
resection, two-year follow up of women randomised to medical management or transcervical resection of endometrium for heavy menstrual loss, clinical and quality of life outcomes, 258, 1230, 1231
see also Endometriosis
Endothelin-1, inhibition of gonadotrophin-dependent steroidogenesis in human preovulatory granulosa cells, possible mechanism to explain observed follicular dysfunction in, 1100
Enoxaparin, thromboprophylaxis, comparison of anti-Xa activity of enoxaparin and unfractionated heparin, 614
Epidural analgesia, does inflatable obstetric belt facilitate spontaneous vaginal delivery in nulliparae with, 1280

Fallopian tube, cancer, comparison of national cancer registry and direct follow up in ascertainment of, 390
Fetus
abnormalities
congenital diaphragmatic hernia, prenatal diagnosis, outcome and continuing morbidity in survivors, 1192
early diagnosis of major cardiac defects in chromosomally normal fetuses with increased nuchal translucency, 829
intrinsic duodenal obstruction, trends in management and outcome over 45 years (1951–1995) with relevance to prenatal counselling, 1197
screening for fetal aneuploidies and cardiac abnormalities by nuchal translucency thickness measurement at 10–14 weeks of gestation as part of routine antenatal care in unselected population, 1029
shoulder dystocia, 182, 610, 1332
six year study of antenatal detection in six Scottish health boards, 206
ultrasound in detection of in early pregnancy, 516
value of sonography in early pregnancy for detection of in unselected population, 929
acidaemia at term, antecedents of neonatal encephalopathy, 774
behaviour
comparison in breech and cephalic presentations at term, 1209
temporal responses to maternally administered dexamethasone in late gestation fetal sheep, 331
brain, thyroid hormone receptor gene expression in first trimester, comparison between cerebral cortex and medulla, 1323
cardiovascular system, temporal responses to maternally administered dexamethasone in late gestation fetal sheep, 331
Doppler fetal circulation in pregnancies complicated by pre-eclampsia or delivery of small for gestational age baby, longitudinal analysis, 453
endocrine system, temporal responses to maternally administered dexamethasone in late gestation fetal sheep, 331
heart rate
magnetocardiography in diagnosis of fetal arrhythmia, 1200
tachycardia and chylous ascites, 376
variability changes during brief repeated umbilical cord occlusion in near term fetal sheep, 664
intrauterine death, teenage pregnancies and risk of late fetal death and infant mortality, 116, 1230
intrauterine growth retardation, 749
administration of low-dose aspirin to mothers with small for gestational age fetuses and abnormal umbilical Doppler studies to increase birthweight, randomised double-blind controlled trial, 647
controlled trial of fundal height measurement plotted on customised antenatal growth charts, 309
Doppler fetal circulation in pregnancies complicated by pre-eclampsia or delivery of small for gestational age baby, longitudinal analysis, 453
expression of low density lipoprotein receptor messenger ribonucleic acid in placentas from pregnancies with preterm delivery and pregnancies with intrauterine growth retardation, 1221
expression of renal 11β-HSD2 immunoreactivity in, 1322
fetal weight estimation in twins, new mathematical model, 924
fetal weight estimation in twins, novel approach, 1102
impaired transfer of essential amino acids in monochorionic twins with discordant growth, 1326
insulin-like growth factor-I in pregnancies with appropriately grown or growth restricted fetuses, prospective study, 1232
leptin concentrations in maternal serum and cord blood, relationship to maternal anthropometry and fetal growth, 1054
prediction of pre-eclampsia, low birthweight for gestational age and prematurity by uterine artery blood flow velocity waveforms in low risk nulliparous women, 88
karyotyping
by chorionic villus sampling after first trimester, 1035
isolated echogenic intracardiac foci or golf balls, is karyotyping for Down's syndrome indicated, 1294
lung
changes in magnetic resonance properties, first result and potential tool for non-invasive *in utero* demonstration of maturation, 122
effect of gestation on *in utero* diffusion measurements of, 1105
maternal angiotensinogen gene allele sharing in pre-eclampsia, 244
maturation, two trials of antenatal thyrotrophin-releasing hormone for, stopping before due date, 898
metabolism, temporal responses to maternally administered dexamethasone in late gestation fetal sheep, 331
mothers and babies, pregnant women and fetuses, 1235
normal haematopoiesis in, 1325
nuchal translucency
early diagnosis of major cardiac defects in chromosomally normal fetuses, 829
screening for aneuploidies and cardiac abnormalities by at 10–14 weeks of gestation as part of routine antenatal care in unselected population, 1029
pain, implications for research and practice, 881
plasma oxytocin concentration, effect of labour and maternal oxytocin infusion on, 1311
ultrasound
biometry, abdomen and femur length reference values, 1236
biometry, head reference values, 126, 875
Fibrinopeptide A:D-dimer, tissue factor levels and high ratio of as measure of endothelial procoagulant disorder in pre-eclampsia, 594

Gemeprost
comparison of vaginal misoprostol and gemeprost as pre-treatment in first trimester pregnancy interruption, 540
continuation of pregnancy after mid-trimester administration, 1319
Genetic disorders, National Confidential Enquiry into counselling for genetic disorders by non-geneticists, general recommendations and specific standards for improving care, 658
Gestational trophoblastic disease, comparison of WHO prognostic risk assessment and FIGO staging of gestational trophoblastic tumours, 993
Glycogen storage disease, type III, successful pregnancy in patient managed with cornstarch supplements, 181
Gonadotrophin-releasing hormone agonist
compared with expectant management after conservative surgery for symptomatic endometriosis, 672
treatment before hysterectomy for leiomyomas, results of multicentre, randomised controlled trial, 751
Gonadotrophins
inhibition of gonadotrophin-dependent steroidogenesis by endothelin-1 in human preovulatory granulosa cells, possible mechanism to explain observed follicular dysfunction in, 1100
recombinant, 188
Gynaecological practice

generation of computer software to collect a minimal data set in gynaecological oncology, 387
Gyn. Skin Clin., experience of dedicated Edinburgh clinic, 386
inherited bleeding disorders in, 5
photodynamic therapy and its applications in gynaecology, 1246

Health care, what is natural, deciding what to do and not to do in medicine and health care, 1109
HELLP syndrome, 31P magnetic resonance spectroscopy of liver in, 582
Heparin
pregnancy complications in women with recurrent miscarriage associated with antiphospholipid antibodies treated with low dose aspirin and heparin, 102
thromboprophylaxis, comparison of anti-Xa activity of enoxaparin and unfractionated heparin, 614
Hepatitis B, antenatal screening in the UK, 66
Hepatitis C, associated with higher incidence of cholestasis of pregnancy, 498
Hormone replacement therapy
bone mineral density, breast cancer and, 1324
effect of ovariectomy and oestrogen replacement on small artery biomechanics in rat, 148
impact on quality of life and willingness to pay, 614
transvaginal ultrasonography and endometrial histology in peri- and postmenopausal women on, 421
Human chorionic gonadotrophin
adrenal cortical carcinoma secreting, mimicking malignant trophoblastic disease, 989
second trimester maternal serum levels and pregnancy outcome, 598
second trimester prenatal screening for Down's syndrome using alpha-fetoprotein and free beta hCG, seven year review, 1287
Human immunodeficiency virus, cervical T cell dysfunction may predispose to cervical neoplasia in HIV-infected women, 391
Human papillomavirus
colposcopy, histologic and immunologic associations of HPV16 variant in low-grade smears, 1102
epidemiological characteristics of women with high grade CIN who do and do not have, 252
investigation into prevalence of in women with systemic lupus erythematosus, 382
role of p53 polymorphisms and haplotypes in relation to human papillomavirus subtype and cervical intraepithelial neoplasia, 392
type 16 and 18 detection in management of mild dyskaryosis, 969
Hycamtin, phase 1 study of Hycamtin following Paclitaxel and Carboplatin in first line therapy, 998
Hyperhomocysteiniaemia, maternal, placenta in, 273
Hypertensive pregnancy
twin mothers, pregnancy hypertension and pre-eclampsia, 570
white coat effect in, much ado about nothing, 474
see also Pre-eclampsia
Hypertriglyceridaemia, treatment of in menopausal women with transdermal oestradiol therapy, 980
Hysterectomy
bowel dysfunction following, 1120
enterobius vermicularis threadworm infestation of paraovarian tissue in woman who has had hysterectomy, 605
is there a hormonal basis to hysterectomy-related depression, 620
laparoscopic-assisted Doderlein, retrospective analysis of 300 consecutive cases, 1053
nerve trauma during radical hysterectomy and total abdominal hysterectomy, comparative assessment using quantitative immunocytochemistry, 993
randomised trial of endometrial ablation *versus* hysterectomy for treatment of dysfunctional uterine bleeding, outcome at four years, 360, 876, 1002
recurrent pain after, and bilateral salpingo-oophorectomy for endometriosis, evaluation of laparoscopic excision of residual endometriosis, 740
treatment with gonadotrophin releasing hormone agonist before hysterectomy for leiomyomas, results of multicentre, randomised controlled trial, 751
Hysteroscopy, outpatient, paracervical anaesthesia in, randomised double-blind placebo-controlled trial, 356

Imaging *see* Computed tomography; Magnetic resonance imaging; Ultrasound
Imipramine, comparison of treatment outcomes for female genuine stress incontinence, 1089
Immunoglobulin, intravenous, chronic demyelinating polyneuropathy in pregnancy treated with, 174
Immunoscintigraphy, evaluation of engineered human monoclonal antibody for use in treatment of ovarian carcinoma, 31
Incontinence
anal, after vaginal delivery, prospective study in primiparous women, 324, 1107
colposuspension after previous failed surgery, prospective observational study, 340
faecal, prevalence among women with urinary incontinence, 1233
stress
comparison of treatment outcomes of imipramine for, 1089
complications of surgery for, 1238
impact of surgery on social lives of women, 290, 613
open study of bladder neck support prosthesis in, 42
physiological basis of pelvic floor exercises in treatment of, 615
post-menopausal, effect of oestrogen supplementation on, double-blind placebo-controlled trial, 711
prospective placebo controlled double blind randomised study to investigate use of indoramine to prevent post-operative voiding disorders after surgical treatment for, 270
pure stress leakage symptomatology, is it safe to discount detrusor instability, 1255
recurrent, Burch colposuspension following retropubic continence surgery, 719
three-year follow up of tension free vaginal tape for surgical treatment, 345
urinary, prevalence and risk factors at 16 weeks of gestation, 842
Indomethacin, effect of indomethacin tocolysis in preterm labour on perinatal outcome, randomised placebo-controlled trial, 467
Indoramin, prospective placebo controlled double blind randomised study to investigate use of to prevent post-operative voiding disorders after surgical treatment for genuine stress incontinence, 270
Infection
randomised comparison of strategies for reducing infective complications of induced abortions, 287
Streptococcus milleri, mimicking ovarian carcinoma, 745
see also Hepatitis; Human immunodeficiency virus
Infertility
screening for coeliac disease in women with history of, 171
secondary, bone of contention, unusual case of, 1098
see also In vitro fertilisation
Inhibin A
and parturition, changes of maternal and cord serum levels according to mode of delivery, 1061
serum activin A and inhibin A elevated in pre-eclampsia, no relation to insulin sensitivity, 1298
Insulin-like growth factor, maternal, in pregnancies with appropriately grown or growth restricted fetuses, prospective study, 1232
Insulin, serum activin A and inhibin A elevated in pre-eclampsia, no relation to insulin sensitivity, 1298
Interleukins
amniotic fluid concentrations of interleukin 1β, interleukin-6 and TNF-α in chorioamnionitis before 32 weeks gestation, histological associations and neonatal outcome, 72
interleukin 4, interleukin 13, oestrogen and progesterone upregulate expression of CD44 in human cervical adenocarcinoma cell lines, 995
Intrauterine death *see* Fetus
Intrauterine growth retardation *see* Fetus
In vitro fertilisation
controlled comparison of ovarian response to controlled stimulation in first generation Asian women compared with white Caucasians undergoing, 407

cumulative probability of clinical pregnancy and live birth after multiple cycle IVF package, more realistic assessment of overall and age-specific success rates, 165
serum markers for Down's syndrome in women having, implications for antenatal screening, 1304
sex offending and confidentiality, 399
see also Infertility

Labour and delivery
active contraction of cervix in latent phase of labour, 446
active management revisited, 183, 1002
booking at different places of birth, review and assessment of selection criteria used, 550
breech
at term, relation to cerebral palsy, 943
comparison of fetal behaviour in breech and cephalic presentations at term, 1209
undiagnosed, revisited, 638
vaginal delivery compared with caesarean section in early preterm breech delivery, comparison of long term outcome, 496
caesarean section *see* Caesarean section
effect of labour and maternal oxytocin infusion on fetal plasma oxytocin concentration, 1311
episiotomy, changed pattern in use in Sweden, 95
expected day of, 1000
forceps, maternal and child health after assisted vaginal delivery, five-year follow up of randomised controlled study comparing forceps and ventouse, 544
induction
misoprostol for, 798
misoprostol is more effective agent than dinoprostone vaginal gel, 793
sweeping of membranes to prevent post-term pregnancy and to induce labour, systematic review, 481
mode of delivery
activin A, inhibin A, inhibin B and parturition, changes of maternal and cord serum levels according to, 1061
differences in umbilical cord serum lipid levels with, 144
maternal and child health after assisted vaginal delivery, five-year follow up of randomised controlled study comparing forceps and ventouse, 544
subsequent obstetric performance related to, 227
vaginal delivery compared with caesarean section in early preterm breech delivery, comparison of long term outcome, 496
pain relief
cutaneous injections of sterile water, randomised controlled trial, 633
intramuscular opioids for, randomised controlled trial comparing pethidine with diamorphine, 1181
preterm
association with ethnicity in Birmingham, 1101
effect of indomethacin tocolysis in preterm labour on perinatal outcome, randomised placebo-controlled trial, 467
effects of tocolytic treatment with ritodrine on cardiovascular autonomic regulation, 238
expression of low density lipoprotein receptor messenger ribonucleic acid in placentas from pregnancies with preterm delivery and pregnancies with intrauterine growth retardation, 1221
intrauterine growth retardation, prediction of pre-eclampsia, low birthweight for gestational age and prematurity by uterine artery blood flow velocity waveforms in low risk nulliparous women, 88
prophylactic administration of clindamycin 2% vaginal cream to reduce incidence of spontaneous preterm birth in women with increased recurrence risk, randomised placebo-controlled double-blind trial, 652
receptor binding of oxytocin and vasopressin antagonists and inhibitory effects on isolated myometrium from preterm and term pregnant women, 1047
very and moderate, are risk factors different, 1162
psychosocial support or active management or both to improve outcome, 617
second stage
caesarean section for failure of, vaginal delivery after, 749
randomised trial comparing upright and supine positions for, 291
third stage, misoprostol dose-related shivering and pyrexia in, 304
trends in, at and beyond term, evidence of change, 937
ventouse
maternal and child health after assisted vaginal delivery, five-year follow up of randomised controlled study comparing forceps and ventouse, 544
sub-aponeurotic haemorrhage, rare but life-threatening neonatal complication associated with, 868
Laparoscopy
Doderlein hysterectomy, retrospective analysis of 300 consecutive cases, 1053
high resolution imaging of endometriosis and ovarian carcinoma with optical coherence tomography, feasibility for laparoscopic- based imaging, 1071
open, the way forward, 1116
Large loop excision of transformation zone
do routine antibiotics reduce morbidity, 752
is colposcopic follow up necessary after, 387
recurrence of cervical intraepithelial neoplasia after, 395
Leiomyomatous perineal hernia, 507
Leptin, concentrations in maternal serum and cord blood, relationship to maternal anthropometry and fetal growth, 1054
Levonorgesterel, randomised comparative trial of levonorgestrel intrauterine system and norethisterone for treatment of idiopathic menorrhagia, 512
Listeria monocytogenes reinfection in pregnant woman, 509
Low density lipoprotein, expression of receptor messenger ribonucleic acid in placentas from pregnancies with preterm delivery and pregnancies with intrauterine growth retardation, 1221

Magnesium sulphate
intravenous, randomised controlled trial versus placebo in management of women with severe pre-eclampsia, 289
review of clinical pharmacology applied to obstetrics, 180
Magnetic resonance imaging
^{31}P magnetic resonance spectroscopy of liver in HELLP syndrome, 582
changes in magnetic resonance properties of fetal lungs, first result and potential tool for non-invasive *in utero* demonstration of fetal lung maturation, 122
comparison with transvaginal ultrasound in assessment of depth of myometrial invasion in endometrial carcinoma, 393
dynamic assessment of pelvic floor, 1326
endovaginal, in preoperative assessment of stage I and IIa cervical cancer, 381
Maternal
activin A, inhibin A, inhibin B and parturition, changes of maternal and cord serum levels according to mode of delivery, 1061
anthropometry, leptin concentrations in maternal serum and cord blood, relationship to, 1054
effect of labour and maternal oxytocin infusion on fetal plasma oxytocin concentration, 1311
and fetal angiotensinogen gene allele sharing in pre-eclampsia, 244
hyperhomocysteinaemia, placental in, 273
insulin-like growth factor-I in pregnancies with appropriately grown or growth restricted fetuses, prospective study, 1232
intensive care and near-miss mortality in obstetrics, 1234
mortality
assessment of among a cohort of pregnant women in Bamako, Mali, 60
intracranial haemorrhage as cause of during 1991–1992 in Japan, report of Confidential Inquiry into Maternal Deaths Research Group in Japan, 1171
nationwide maternal mortality in Surinam, 55
reducing in the world, major challenges, 877

mothers and babies, pregnant women and fetuses, 1235
randomised trials in maternal and perinatal medicine, global partnerships are the way forward, 875
severe acute morbidity, pilot study of definition of near miss, 397
Medroxyprogesterone acetate, multicentre randomised controlled trial of adjuvant therapy in high risk endometrial carcinoma comparing medroxyprogesterone acetate and radiotherapy, 386
Membranes *see* Amniotic membrane
Menopause
biochemical markers of bone turnover do not decline after menopause in healthy women, 427
bleeding patterns in 'asymptomatic' post-menopausal women taking long term tamoxifen, correlation with body mass index, 1324
climacteric vasomotor symptoms do not imply autonomic dysfunction, 155
comparison of two malignancy risk indices based on serum CA125, ultrasound score and menopausal status in diagnosis of ovarian masses, 524
effect of oestrogen supplementation on post-menopausal urinary stress incontinence, double-blind placebo-controlled trial, 711
long term effects of tibolone on genital tract in postmenopausal women, 954
and mood, 1
prevention of postmenopausal bone loss at lumbar spine and upper femur with tibolone, two-year randomised controlled trial, 678
screening for endometrial cancer in asymptomatic postmenopausal women with conventional and colour Doppler sonography, 14, 612, 1229
telomerase activity in benign, malignant and normal ovarian tissue from postmenopausal women, 392
telomerase activity in pipelle aspirate biopsies from benign and malignant postmenopausal endometrium, 996
transvaginal ultrasonography and endometrial histology in peri- and postmenopausal women on hormone replacement therapy, 421
treatment of hypertriglyceridaemia in menopausal women with transdermal oestradiol therapy, 980
Menstrual cycle
expression of macrophage inflammatory protein-1α in endometrium throughout, 725
menorrhagia
Cavaterm thermal balloon ablation for treatment of, 1143
management in primary care in East Anglia, Anglia menorrhagia education study, 1103
randomised comparative trial of levonorgestrel intrauterine system and norethisterone for treatment of idiopathic menorrhagia, 512
national survey of complications of endometrial destruction for menstrual disorders, MISTLETOE study, 1329
two-year follow up of women randomised to medical management or transcervical resection of endometrium for heavy menstrual loss, clinical and quality of life outcomes, 258, 1230, 1231
variation of gastrointestinal symptoms with, 1328
5,10 methylenetetrahydrofolate reductase
influence of 5,10 methylenetetrahydrofolate reductase genotypes on enzyme activity in placental tissue, 1214
polymorphism in black South African women with pre-eclampsia, 1219
Methylergometrine, misoprostol compared with for prevention of postpartum haemorrhage, double-blind randomised trial, 1066
Millennium babies, 1000
Miscarriage
investigation of cause of, and influence on women's psychological distress, 808
randomised trial comparing expectant with medical management for first trimester miscarriages, 804
recurrent
association of reduced selenium status in aetiology of, 1188
fetal survival in women with, 1104
pregnancy complications associated with antiphospholipid antibodies in women treated with low dose aspirin and heparin, 102
screening for coeliac disease in women with history of, 171
see also Abortion
Misoprostol
compared with methylergometrine for prevention of postpartum haemorrhage, double-blind randomised trial, 1066
comparison of vaginal misoprostol and gemeprost as pre-treatment in first trimester pregnancy interruption, 540
dose-related shivering and pyrexia in third stage of labour, 304
for induction of labour at term, more effective agent than dinoprostone vaginal gel, 793
for induction of labour, systematic review, 798
vaginal, for pre-abortion cervical priming, is there an optimal evacuation time interval, 266
Monoclonal antibodies, immunoscintigraphic evaluation of engineered human monoclonal antibody for use in treatment of ovarian carcinoma, 31
Mood, and menopause, 1
Morbidity
do routine antibiotics after loop diathermy excision reduce, 398, 752
maternal, severe acute, pilot study of definition of near miss, 397
Mortality
infant, teenage pregnancies and risk of late fetal death and, 116, 1230
maternal
assessment of among a cohort of pregnant women in Bamako, Mali, 60
intracranial haemorrhage as cause of during 1991–1992 in Japan, report of Confidential Inquiry into Maternal Deaths Research Group in Japan, 1171
nationwide in Surinam, 55
and perinatal, reducing in the world, major challenges, 877
maternal intensive care and near-miss mortality in obstetrics, 1234

National Confidential Enquiry into counselling for genetic disorders by non-geneticists, general recommendations and specific standards for improving care, 658
Newborn
amniotic fluid concentrations of interleukin 1β, interleukin-6 and TNF-α in chorioamnionitis before 32 weeks gestation, histological associations and neonatal outcome, 72
encephalopathy with fetal acidaemia at term, antecedents of, 774
mothers and babies, pregnant women and fetuses, 1235
shoulder width, prospective study of 2222 consecutive measurements, 589
sub-aponeurotic haemorrhage, rate but life-threatening complication associated with ventouse delivery, 868
Nitric oxide, endothelium dependent relaxation in myometrial resistance arteries from normal pregnant women is independent of nitric oxide and prostanoids, 1106
Nitroglycerin, as tocolytic, randomised, double-blind, placebo controlled pilot study, 736
Norethisterone acetate
randomised comparative trial of levonorgestrel intrauterine system and norethisterone for treatment of idiopathic menorrhagia, 512
randomised comparison of effects of oral *versus* transdermal 17β-oestradiol, each combined with sequential oral norethisterone acetate, on serum lipoprotein levels, 948

Obstetric practice
active management of labour revisited, 183, 1002
are we prescribing multiple courses of antenatal corticosteroids, survey of practice in UK, 977
inherited bleeding disorders in, 5
magnesium sulphate, review of clinical pharmacology applied to obstetrics, 180
maternal intensive care and near-miss mortality in obstetrics, 1234
Oestradiol
are high levels after implants associated with features of dependence, 960
development and validation of objective method of determining skin erythema to transdermal oestradiol patches, 279
randomised comparison of effects of oral *versus* transdermal 17β-

oestradiol, each combined with sequential oral norethisterone acetae, on serum lipoprotein levels, 948
transdermal, treatment of hypertriglyceridaemia in menopausal women with, 980
Oestrogens
disseminated leiomyomatosis peritonealis and severe atypical endometrial hyperplasia in assocation with ovarian fibrothecoma and elevated serum oestrogen levels, 394
effect of oestrogen supplementation on post-menopausal urinary stress incontinence, double-blind placebo-controlled trial, 711
effect of ovariectomy and oestrogen replacement on small artery biomechanics in rat, 148
interleukin 4, interleukin 13, oestrogen and progesterone upregulate expression of CD44 in human cervical adenocarcinoma cell lines, 995
Optical coherence tomography, high resolution imaging of endometriosis and ovarian carcinoma, feasibility for laparoscopic-based imaging, 1071
Ovary
cancer
activation of CD40 in epithelial cells induces cyclin D1 expression, cdk activity and hyperphosphorylation of pRb, role in epithelial ovarian carcinoma, 390
advanced, high dose consolidation therapy with peripheral blood stem cell support as initial treatment for, 382
can flexible sigmoidoscopy predict need for colorectal surgery in, 380
CMB-401, new agent for immunotherapy of epithelial ovarian cancer, immune response and pharmacokinetics, 996
comparison of national cancer registry and direct follow up in ascertainment of, 390
comparison of two malignancy risk indices based on serum CA125, ultrasound score and menopausal status in diagnosis of ovarian masses, 524
cytokine messenger RNA analysis by ribonuclease protection assay in normal ovary and, 394
cytokine messenger RNA analysis by RT-PCR in normal ovary and ovarian tumours, 385
cytological assessment of ovarian epithelium, 389
detection of ovarian epithelial tumour DNA from peritoneal fluid and serum, 383
differences between BRCA1 and 2 positive ovarian cancers and sporadic cancers demonstrated by comparative genomic hybridisation, 995
expression of E-cadherin and associated catenins in ovarian epithelial tumours, 385
first impressions of hybrid positron emission tomography for identification and monitoring of, 391
genetic, physical and transcript mapping of minimal region of allele loss at 6q27 in, 396
high resolution imaging with optical coherence tomography, feasibility for laparoscopic-based imaging, 1071
H-Ryk receptor expression in blood vessels is new prognostic factor, 390
immunoscintigraphic evaluation of engineered human monoclonal antibody for use in treatment of, 31
molecular analysis of clonal origin of, 389
molecular detection of tumour DNA in serum and peritoneal fluid from ovarian cancer patients, 993
multiparameter approach to diagnosis, 382
neural networks in diagnosis of, 1078
P53 expression in, association with glutathione s-transferase GSTM1 and GSTT1 genotypes and survival, 997
P53 and related proteins in, 998
performance of screening tests for, results of systematic review, 1107
phase 1 study of Hycamtin following Paclitaxel and Carboplatin in first line therapy, 998
phase I study of ascending doses of cytotoxic immunoconjugate CMB-401 in patients with, 391
prospective regional audit of management in South and West of England, 384
Sertoli-Leydig cell tumour, fulminant recurrence during pregnancy, 284
specialist gynaecologists and survival outcome in, Scottish national study of 1866 patients, 1130
Streptococcus milleri infection mimicking, 745
telomerase activity in benign, malignant and normal ovarian tissue from postmenopausal women, 392
characteristics after total body irradiation in childhood and adolescence, response to sex steroid replacement, 1265
comparison of prophylactic oophorectomy specimens from carriers and noncarriers of BRCA gene mutation, 389
controlled comparison of ovarian response to controlled stimulation in first generation Asian women compared with white Caucasians undergoing *in vitro* fertilisation, 407
cyst, follow up of women detected by transvaginal sonography in Tokyo metropolitan area, 415
disseminated leiomyomatosis peritonealis and severe atypical endometrial hyperplasia in assocation with ovarian fibrothecoma and elevated serum oestrogen levels, 394
dysplasia, expression of P53 and Ki67 proteins in, 379
effect of ovariectomy and oestrogen replacement on small artery biomechanics in rat, 148
hyperstimulation syndrome, symptomatic cystic swelling at root of neck with left sided pleural effusion as presentation of, 986
polycystic ovarian syndrome, carotid artery haemodynamics in women with, 1102
Oxytocin
effect of labour and maternal oxytocin infusion on fetal plasma oxytocin concentration, 1311
receptor binding of oxytocin and vasopressin antagonists and inhibitory effects on isolated myometrium from preterm and term pregnant women, 1047

Paclitaxel, phase 1 study of Hycamtin following Paclitaxel and Carboplatin in first line therapy, 998
Pelvis
chronic pelvic pain, patterns of diagnosis and referral in women consulting for in UK primary care, 1156
dynamic MRI assessment of pelvic floor, 1326
Perinatal
mortality, reducing in the world, major challenges, 877
randomised trials in maternal and perinatal medicine, global partnerships are the way forward, 875
Pethidine, intramuscular opioids for maternal pain relief in labour, randomised controlled trial comparing pethidine with diamorphine, 1181
Photodynamic therapy, applications in gynaecology, 1246
Placenta
apoptosis increased in post-term pregnancies, 861
characterisation of staurosporine-induced cytotrophoblast death using novel technique for apoptosis determination, 1321
colour Doppler energy insonation of placental vasculature in monochorionic twins, absent arterio-arterial anastomoses in association with twin-to-twin transfusion syndrome, 290
expression of low density lipoprotein receptor messenger ribonucleic acid in placentas from pregnancies with preterm delivery and pregnancies with intrauterine growth retardation, 1221
expression of novel angiogenic family (Angiopoietin 1, Angiopoietin 2, Tie 1 and Tie 2) in, 1101
flow cytometric detection of apoptosis in cultured human syncytiotrophoblast using TUNEL method, analysis of nuclear DNA strand breaks, 1325
influence of 5,10 methylenetetrahydrofolate reductase genotypes on enzyme activity in placental tissue, 1214
in maternal hyperhomocysteinaemia, 273
outcome of twin pregnancies complicated by single intrauterine death in relation to vascular anatomy of monochorionic placenta, 1322
Placental growth factor, role in trophoblast invasion, 1104
Population studies
anal incontinence after vaginal delivery, prospective study in

primiparous women, 324, 1107
antenatal screening for hepatitis B infection and syphilis in the UK, 66
assessment of maternal mortality and late maternal mortality among a cohort of pregnant women in Bamako, Mali, 60
association between preterm labour and ethnicity in Birmingham, 1101
cervical intraepithelial glandular neoplasia (CIGN), microinvasive and invasive adenocarcinoma of the uterine cervix, a study of 121 cases, 381
changed pattern in use of episiotomy in Sweden, 95
colposuspension after previous failed incontinence surgery, prospective observational study, 340
controlled comparison of ovarian response to controlled stimulation in first generation Asian women compared with white Caucasians undergoing *in vitro* fertilisation, 407
feasibility study of adolescent sex education, medical students as peer educators in Edinburgh schools, 887
follow up of women with simple ovarian cysts detected by transvaginal sonography in Tokyo metropolitan area, 415
indicators of quality of antenatal care, a pilot study, 197
intracranial haemorrhage as cause of maternal mortality during 1991–1992 in Japan, report of Confidential Inquiry into Maternal Deaths Research Group in Japan, 1171
Ipswich Childbirth Study, randomised evaluation of two stage postpartum perineal repair leaving skin unsutured, 89
laparoscopic-assisted Doderlein hysterectomy, retrospective analysis of 300 consecutive cases, 1083
national survey of complications of endometrial destruction for menstrual disorders, MISTLETOE study, 1329
nationwide maternal mortality in Surinam, 55
newborn shoulder width, prospective study of 2222 consecutive measurements, 589
nonsurgical mid-trimester termination of pregnancy, review of 500 consecutive cases, 706
sentinel node detection in vulvar cancer patients, multicentre study, 390
six year study of antenatal detection of fetal abnormality in six Scottish health boards, 206
specialist gynaecologists and survival outcome in ovarian cancer, Scottish national study of 1866 patients, 1130
two-year follow up of women randomised to medical management or transcervical resection of endometrium for heavy menstrual loss, clinical and quality of life outcomes, 258, 1230, 1231
value of screening for Down's syndrome in socioeconomically deprived area with high ethnic population, 87
value of ultrasound in early pregnancy for detection of fetal abnormalities in unselected population, 929
see also Clinical trials
Positron emission tomography, first impressions for identification and monitoring of ovarian cancer, 391
Postpartum *see* Puerperium
Potassium titanyl phosphate laser, in treatment of benign multicystic peritoneal mesothelioma, 505
Pre-eclampsia
association of cerebral perfusion pressure with headache in women with, 814
circulating markers of oxidative stress raised in, 751, 1232
definition of, 753
evaluation, 767
lack of consistency in research papers, 983
Doppler fetal circulation in pregnancies complicated by pre-eclampsia or delivery of small for gestational age baby, longitudinal analysis, 453
insulin sensitivity in, 874
in vivo assessment of failed trophoblastic invasion of spiral arteries in, 78, 1328
leucocyte intracellular pH, Na^+/H^+ exchanger isoform 1 activity and phosphorylation in postpartum pre-eclamptic women, 1325
maternal and fetal angiotensinogen gene allele sharing in, 244
maternal peripheral blood leukocytes in normal and pre-eclamptic pregnancies, 576
5,10 methylenetetrahydrofolate reductase polymorphism in black South African women with, 1219
neutrophil function in women with, 822
prediction of pre-eclampsia, low birthweight for gestational age and prematurity by uterine artery blood flow velocity waveforms in low risk nulliparous women, 88
randomised controlled trial of intravenous magnesium sulphate versus placebo in management of, 289
selective deficit of angiogenic growth factors characterises pregnancies complicated by, 1019
serum activin A and inhibin A elevated in, no relation to insulin sensitivity, 1298
tissue factor levels and high ratio of fibrinopeptide A:D-dimer as measure of endothelial procoagulant disorder in, 594
twin mothers, pregnancy hypertension and pre-eclampsia, 570
see also Hypertensive pregnancy
Pregnancy
changes in trabecular bone architecture in women during, 432
circulating markers of oxidative stress raised in, 751, 1232
complications
autoimmune thrombocytopenic purpura, splenectomyas option in treatment of, 373, 1331
blue rubber bleb naevus syndrome, 1316
chronic demyelinating polyneuropathy in pregnancy treated with intravenous immunoglobulin, 174
diagnosis of lymphangioleiomyomatosis presenting with retroperitoneal mass, 747
effect of physiological urine dilution on test results in, 87
hepatitis C virus infection associated with higher incidence of cholestasis, 498
homozygous beta thalassemia major, 87
inherited thrombophilia, and adverse pregnancy outcome, has time come for selective testing, 513
Listeria monocytogenes reinfection, 509
mitochondrial myopathy, 871
Sertoli-Leydig cell tumour, fulminant recurrence, 284
thromboembolism, role of inherited thrombophilia in, 756
type III glycogen storage disease, successful pregnancy in patient managed with cornstarch supplements, 181
in women with recurrent miscarriage associated with antiphospholipid antibodies treated with low dose aspirin and heparin, 102
cumulative probability of, and live birth after multiple cycle IVF package, more realistic assessment of overall and age- specific success rates, 165
dating of, routine ultrasound as method of choice, 616
effects of corticotrophin releasing hormone on contractile activity of myometrium from pregnant women, 439
fatty acids, and regulation of TNF-α, 1321
first trimester
comparison of vaginal misoprostol and gemeprost as pre-treatment in pregnancy interruption, 540
fetal karyotyping by chorionic villus sampling after, 1035
thyroid hormone receptor gene expression in human fetal brain, comparison between cerebral cortex and medulla, 1323
hypertensive *see* Hypertensive pregnancy
neutrophil function in, 1106
post-term
placental apoptosis increased in, 861
sweeping of membranes to prevent post-term pregnancy and to induce labour, systematic review, 481
trends in, evidence of change, 937
primiparae, randomised trial of low dose aspirin for primiparae in pregnancy (Golding)/Barbados low dose aspirin study in pregnancy (BLASP), 180
second trimester
continuation after gemeprost administration, 1319
elevated maternal corticotrophin-releasing hormone levels in pregnancies delivered before 34 weeks, 1041
maternal serum beta human chorionic gonadotrophin and

pregnancy outcome, 598
prenatal screening for Down's syndrome using alpha-fetoprotein and free beta hCG, seven year review, 1287
relationship of serum levels of endogenous relaxin to cervical size in, and to cervical ripening at term, 917
teenage, and risk of late fetal death and infant mortality, 116, 1230
termination *see* Abortion; Miscarriage
term, survey of obstetricians' understanding of phrase '37 completed weeks' in definition of term, 1000
third trimester
abortion, is compassion enough, 293, 1329
reasons for termination, 297
venous haemodynamics, effect of compression therapy on, 563
see also Fetus; Labour and delivery
Progesterone, interleukin 4, interleukin 13, oestrogen and progesterone upregulate expression of CD44 in human cervical adenocarcinoma cell lines, 995
Prostanoids, endothelium dependent relaxation in myometrial resistance arteries from normal pregnant women is independent of nitric oxide and prostanoids, 1106
Psoas abscess, unusual complication of intrauterine contraceptive device, 177
Puerperium
fracture of sacrum in absence of osteoporosis of pregnancy, rare skeletal complication, 1096
Ipswich Childbirth Study, randomised evaluation of two stage postpartum perineal repair leaving skin unsutured, 89
leucocyte intracellular pH, Na^+/H^+ exchanger isoform 1 activity and phosphorylation in postpartum pre-eclamptic women, 1325
post-partum haemorrhage, misoprostol compared with methyloergometrine for prevention of, double-blind randomised trial, 1066
renal infarction following spontaneous renal vein thrombosis in, 1223
sepsis, disease of the past, 1314
thromboprophylaxis, comparison of anti-Xa activity of enoxaparin and unfractionated heparin, 614

Radiotherapy
Clatterbridge experience of post-operative external radiotherapy and brachytherapy in management of, 994
multicentre randomised controlled trial of adjuvant therapy in high risk endometrial carcinoma comparing medroxyprogesterone acetate and radiotherapy, 386
ovarian and uterine characteristics after total body irradiation in childhood and adolescence, response to sex steroid replacement, 1265
Relaxin, endogenous, relationship of serum levels to cervical size in second trimester and to cervical ripening at term, 917
Rhesus D
non-invasive RNA-based determination of fetal type, prospective study based on 96 pregnancies, 1023
routine antenatal immunoglobulin prophylaxis, results of prospective 10 year study, 492
Rheumatoid arthritis, neutrophil function in, 1106
Ritodrine, effects of tocolytic treatment on cardiovascular autonomic regulation, 238

Screening
antenatal *see* Antenatal screening
for coeliac disease in women with history of miscarriage, 171
for endometrial cancer in asymptomatic postmenopausal women with conventional and colour Doppler sonography, 14, 612, 1229
for fetal aneuploidies and cardiac abnormalities by nuchal translucency thickness measurement at 10–14 weeks of gestation as part of routine antenatal care in unselected population, 1029
ovarian cancer, results of systematic review, 1107
Seven surgeons of King's, fable by Æsop, 511, 876
Sex education, adolescent, feasibility study, medical students as peer educators in Edinburgh schools, 887
Sex offending, *in vitro* fertilisation and confidentiality, 399
Sexual activity, questionnaires in clinical trials, acceptability to patients with gynaecological disorders, 50
Stress incontinence *see* Incontinence
Surgery
Burch colposuspension for recurrent urinary stress incontinence following retropubic continence surgery, 719
can flexible sigmoidoscopy predict need for colorectal surgery in ovarian cancer, 380
conservative anterior exenteration with preservation of fertility potential and continent urinary diversion, 386
incontinence, colposuspension after previous failure, prospective observational study, 340
primary repair of obstetric anal sphincter rupture using overlap technique, 318, 1107
reconstructive, with gracilis myocutaneous flap after radical vulvectomy for extensive Paget's disease of vulva with underlying invasive adenocarcinoma, 387
single 'reverse S' incision and sartorius muscle transposition in radical groin lymph node dissection, 383
stress incontinence
complications of, 1238
three-year follow up of tension free vaginal tape for surgical treatment of, 345
Syphilis, antenatal screening in the UK, 66
Systematic review
intrapartum umbilical artery Doppler velocimetry as predictor of adverse perinatal outcome, 783
misoprostol for induction of labour, 798
performance of screening tests for ovarian cancer, 1107
sweeping of membranes to prevent post-term pregnancy and to induce labour, 481
Systemic lupus erythematosus, investigation into prevalence of CIN and HPV infection in women with, 382

Tamoxifen, bleeding patterns in 'asymptomatic' post-menopausal women taking long term tamoxifen, correlation with body mass index, 1324
Thalassemia, pregnancy and homozygous beta thalassemia major, 87
Thrombophilia, inherited
adverse pregnancy outcome, has time come for selective testing, 513
role in venous thromboembolism associated with pregnancy, 756
Thyrotrophin-releasing hormone, two trials for fetal maturation, stopping before due date, 898
Tibolone, long term effects on genital tract in postmenopausal women, 954
Training
information technology for postgraduate education, survey of facilities and skills in South West Deanery, 731
Northern Gynaecological Oncology Group regional clinical scenarios continuing medical education project, 992
training specialists in the developing world, ten years on, a success story for West Africa, 91
Triplet pregnancy, aortic dissection and, treble the trouble, 601
Tumour necrosis factor α
amniotic fluid concentrations of interleukin 1β, interleukin-6 and TNF-α in chorioamnionitis before 32 weeks gestation, histological associations and neonatal outcome, 72
pregnancy fatty acids and regulation of, 1321
Twin pregnancy
colour Doppler energy insonation of placental vasculature in monochorionic twins, absent arterio-arterial anastomoses in association with twin-to-twin transfusion syndrome, 290
fetal weight estimation
new mathematical model, 924
novel approach, 1102
impaired transfer of essential amino acids in monochorionic twins with discordant growth, 1326
outcome complicated by single intrauterine death in relation to vascular anatomy of monochorionic placenta, 1322
twin mothers, pregnancy hypertension and pre-eclampsia, 570
twin-to-twin transfusion syndrome, fetal renal renin expression in, 1326

Ultrasound
comparison of pre-operative assessment of vulvar cancer using CT scanning or ultrasonography with fine needle aspiration, 999
comparison of two malignancy risk indices based on serum CA125, ultrasound score and menopausal status in diagnosis of ovarian masses, 524
detection of fetal anomalies in early pregnancy, 516
Doppler
administration of low-dose aspirin to mothers with small for gestational age fetuses and abnormal umbilical Doppler studies to increase birthweight, randomised double-blind controlled trial, 647
colour Doppler energy insonation of placental vasculature in monochorionic twins, absent arterio-arterial anastomoses in association with twin-to-twin transfusion syndrome, 290
colour flow, possible use in planning treatment in early invasive carcinoma of cervix, 1137
conventional and colour, screening for endometrial cancer in asymptomatic postmenopausal women, 14, 612, 1229
fetal circulation in pregnancies complicated by pre-eclampsia or delivery of small for gestational age baby, longitudinal analysis, 453
intrapartum umbilical artery, as predictor of adverse perinatal outcome, systematic review, 783
endosonography, anal, changes in anal anatomy following vaginal delivery revealed by, 233
fetal
biometry, abdomen and femur length reference values, 136
biometry, head reference values, 126, 875
high resolution with guided cytology of groin lymph nodes, role in management of squamous cell carcinoma of vulva, pilot study, 863
perioperative, of lymph nodes in patients with gynaecological malignancy, 410, 1331
prediction of malignancy in adnexal masses using an artificial neural network, 21
routine, method of choice for dating pregnancy, 616
screening in pregnancy, choosing options and comparing cost effectiveness, decision analysis approach, 397
serial colour flow duplex scanning of veins of lower limb throughout pregnancy, 557
transvaginal
comparison with magnetic resonance imaging in assessment of depth of myometrial invasion in endometrial carcinoma, 393
and endometrial histology in peri- and postmenopausal women on hormone replacement therapy, 421
follow up of women with simple ovarian cysts detected in Tokyo metropolitan area, 415
value of
assessment of gestational age at first antenatal visit, randomised clinical trial, 1273
in early pregnancy for detection of fetal abnormalities in unselected population, 929
Umbilical cord
activin A, inhibin A, inhibin B and parturition, changes of maternal and cord serum levels according to mode of delivery, 1061
differences in serum lipid levels with mode of delivery, 144
fetal heart rate variability changes during brief repeated occlusion in near term fetal sheep, 664
leptin concentrations in maternal serum and cord blood, relationship to maternal anthropometry and fetal growth, 1054
umbilical artery, intrapartum umbilical artery Doppler velocimetry as predictor of adverse perinatal outcome, systematic review, 783
Urinary tract
dipstick proteinuria
caveat emptor, 1113
role of observer error in antenatal analysis, 1177
effect of physiological urine dilution on test results in complicated early pregnancies, 87
lower urinary tract symptoms and their impact on women with anorexia nervosa, 501
urodynamics, women's attitudes to, questionnaire survey, 851
Uterus
characteristics after total body irradiation in childhood and adolescence, response to sex steroid replacement, 1265
dysfunctional uterine bleeding, randomised trial of endometrial ablation *versus* hysterectomy for treatment of, outcome at four years, 360, 876, 1002
fibroids, use of oral contraceptives and, results from case-control study, 857
inversion through upper segment scar, 1225
long-term follow up of hysteroscopic myomectomy assessed by survival analysis, 700
myometrium
5β dihydroprogesterone inhibits spontaneous human myometrial contractions *in vitro*, 1100
effects of corticotrophin releasing hormone on contractile activity of myometrium from pregnant women, 439
endothelium dependent relaxation in myometrial resistance arteries from normal pregnant women is independent of nitric oxide and prostanoids, 1106
histamine mediated endothelium dependent relaxation of myometrial resistance arteries is decreased in pregnancy and independent of cyclo-oxygenase inhibitors, 1105
receptor binding of oxytocin and vasopressin antagonists and inhibitory effects on isolated myometrium from preterm and term pregnant women, 1047
prolapse, vesico-vaginal fistula associated with, 1227
randomised controlled study of exteriorisation and repair at caesarean section, 913
rupture, following laparoscopic resection of rectovaginal endometriosis, new risk factor, 608
uterine artery, prediction of pre-eclampsia, low birthweight for gestational age and prematurity by blood flow velocity waveforms in low risk nulliparous women, 88
see also Cervix; Endometrium; Fetus; Hysterectomy

Vagina, cancer
conservative anterior exenteration with preservation of fertility potential and continent urinary diversion, 386
primary invasive, therapeutic and prognostic considerations, 390
retrospective review of characteristics, treatment and follow up of patients presenting with vaginal intra-epithelial neoplasia, 995
Vascular endothelial growth factor, role in trophoblast invasion, 1104
Vasopressin, receptor binding of oxytocin and vasopressin antagonists and inhibitory effects on isolated myometrium from preterm and term pregnant women, 1047
Vulva
cancer
comparison of pre-operative assessment using CT scanning or ultrasonography with fine needle aspiration, 999
computerised nuclear morphometry for prediction of groin lymph node metastases in squamous cell carcinoma, 388
epidemiological study of role of pre-existing skin abnormalities and p53 expression in, 379
femoral vessel depth in, impact on adjuvant therapy, 998
groin node status by ultrasound in, 999
insights into process of from loss of heterozygosity analysis, 994
prospective regional audit of management in South and West of England, 385
role of high resolution ultrasound with guided cytology of groin lymph nodes in management of, pilot study, 863
sentinel node detection in, multicentre study, 390
Paget's disease of
establishing a register for, 996
reconstructive surgery with gracilis myocutaneous flap after radical vulvectomy with underlying invasive adenocarcinoma, 387